

03.01-08/16/99-00340



DEPARTMENT OF THE NAVY

ATLANTIC DIVISION  
NAVAL FACILITIES ENGINEERING COMMAND  
1510 GILBERT ST  
NORFOLK, VA 23511-2699

TELEPHONE NO.

(757) 322-4758

IN REPLY REFER TO:

5090

18225:TAR:cag

AUG 16 1999

U.S. Environmental Protection Agency  
Region III  
Federal Facilities Branch  
Attn: Mr. Robert Stroud (3HS50)  
1650 Arch Street  
Philadelphia, Pennsylvania 19103-2029

Re: Draft Screening Ecological Risk Assessment SWMUs  
2C, 2D, 2E, 18, 19, 20, 23, and 24, Naval Air  
Station, Oceana, Virginia Beach, Virginia

Dear Mr. Stroud:

Please find enclosed four copies of the subject document for your review and comment. Members of the Biological Technical Assistance Group (BTAG), Messrs. Peter Knight and John McCloskey, conducted a site visit of the SWMUs evaluated in this risk assessment on August 10, 1999, both were provided a copy of this risk assessment for review. Please have your review comments ready for discussion at our next NWS Yorktown/NAS Oceana Partnering Team meeting in Berkley Springs, WVA on August 30, 1999 through September 2, 1999.

If you require additional information, please contact me at (757) 322-4758.

Sincerely,

T. A. REISCH  
Remedial Project Manager  
Installation Restoration Section  
(North)  
Environmental Programs Branch  
Environmental Division  
By direction of the Commander

Re: Draft Screening Ecological Risk Assessment SWMUs  
2C, 2D, 2E, 18, 19, 20, 23, and 24, Naval Air  
Station, Oceana, Virginia Beach, Virginia

Enclosures

Copy to:

CNRMA (Ms. Sharon Waligora, Regional Environmental Group,  
Oceana

CNRMA (Mr. Jeff Harlow, Regional Environmental Group,  
Yorktown)

VDEQ (Mr. Steve Mihalko) (2 copies)

Administrative Record File (NAS Oceana)