

M00263.AR.000089
MCRD PARRIS ISLAND
5090.3a

MEMORANDUM REGARDING SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL APPROVAL OF DRAFT FINAL MASTER WORK PLAN
VOLUME 2 OF 3 MCRD PARRIS ISLAND SC
12/19/1997
SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



03.01.00.0037

2600 Bull Street
Columbia, SC 29201-1708

COMMISSIONER:
Douglas E. Bryant

MEMORANDUM

BOARD:
John H. Burriss
Chairman

William M. Hull, Jr., MD
Vice Chairman

Roger Leaks, Jr.
Secretary

Richard E. Jabbour, DDS

Cyndi C. Mosteller

Brian K. Smith

Rodney L. Grandy

TO: Susan Peterson, Engineering Associate
Corrective Action Engineering Section
Division of Hazardous and Infectious Waste Management
Bureau of Land and Waste Management

FROM: Donald C. Hargrove, Hydrogeologist
Hazardous Waste Section
Division of Hydrogeology
Bureau of Land and Waste Management

DATE: 19 December 1997

RE: Parris Island Marine Corps Recruit Depot (MCRD)
Parris Island, South Carolina
Beaufort County
SC6 170 022 767

DRAFT FINAL Master Work Plan, Volume II of III
(dated November 1997)

The Division of Hydrogeology has reviewed the DRAFT FINAL Master Work Plan, Volume II of III. This work Plan (dated November 1997) was received on 19 November 1997. This work plan contains environmental field investigation criteria in three separate plans: The Master Field Sampling Plan; The Master Quality Assurance Plan; and The Master Health and Safety Plan. This document also contains responses to comments generated during review of the DRAFT version of this document (memo: Hargrove to Tapia, 28 October 1996).

This document was reviewed with respect to R.61-79 of the South Carolina Hazardous Waste Management Regulations (SCHWMR), and appropriate guidance documents. Based on this review, the Division of Hydrogeology has determined that MCRD has adequately responded to these comments and sufficiently incorporated them into this DRAFT FINAL version. It is therefore recommended that this DRAFT FINAL version of Volume II of the Master Work Plan can be approved and implemented as written.

If you have any questions regarding this decision, please call me at (803)896-4033.

DD971169.DCH