

M00263.AR.000098
MCRD PARRIS ISLAND
5090.3a

EMAIL REGARDING U S NAVY RESPONSES TO SOUTH CAROLINA DEPARTMENT OF
HEALTH AND ENVIRONMENTAL CONTROL COMMENTS ON DRAFT FINAL MASTER
WORK PLAN VOLUME 1 OF 3 MCRD PARRIS ISLAND SC
1/30/1998
TETRA TECH NUS

Brown, Jason

From: Jason Brown [BARPI/ENV/BBRA169]
Sent: Friday, January 30, 1998 12:07 PM
To: Donald Hargrove; 'Susan Peterson'
Cc: Mark Speranza
Subject: Response to SCDHEC Draft Final, Vol. I, MWP Comments

Importance: High

Don and Susan,

Below is a response to your comments regarding the Draft Final, Vol. I, MWP. If you should have questions concerns regarding these responses, please contact me at (412) 921-8401 or Mark Speranza at (412) 921-8916.

To date, we have received a letter regarding the State's approval of the Vol. II, MWP as Final. However, we have not received comments or an approval letter regarding the Draft Final, Vol. III, MWP (Master Decision Document). We would appreciate receiving any additional comments on Volume III by February 20th (the date comments are expected from the U.S. Fish and Wildlife Service).

Very truly yours,

Jason Brown
 Tetra Tech NUS, Inc.

Response to SCDHEC Comments to the DRAFT Final Volume I Master Work Plan

- 1) Comment 3: The response concerning SWMU 45 is not adequate. The following documents provide data concerning the environmental conditions at the Dry Cleaner's Facility:
- a) South Carolina Department of Health and Environmental Control Spill Report, District Log No. 94-045 (dated 14 March 1994)
 - b) Tetrachloroethylene Contamination Assessment and Conceptual Corrective Action Plan, US Marine Corps Recruit Depot Dry Cleaning Facility (dated June 1994)
 - c) Groundwater Assessment results for the Parris Island Dry Cleaners Facility (received by the Division of Hydrogeology on 29 August 1996);
 - d) Technical Memorandum For Well Installation and Air Sparging Pilot Test (dated December 1996)
 - e) Summary Report For Air Sparging Pilot Test Dry Cleaner Site MCRD Parris Island (dated February 1997)
 - f) Technical Memorandum For Groundwater Evaluation and Air Sparging Pilot Study, Building 193, Parris Island, SC (dated February 1997)
 - g) DRAFT Engineering Evaluation and Remedial Work Plan Air Sparging and Soil Vapor Extraction, Dry Cleaning Facility, Building 193 (dated 17 March 1997)
 - h) DRAFT Engineering Evaluation and Remedial Work Plan/Interim Removal Action, Site 45, Dry Cleaners Facility, Building 193 (June 1997);
 - i) DRAFT Engineering Evaluation and Interim Removal Remedial Work Plan/Interim Measure Work Plan, Site 45/SWMU 45, Revision 0 (dated September 1997);
 - j) DRAFT FINAL Master Work Plan, Volume I of III (dated November 1997)

Designation as a Solid Waste Management Unit (SWMU) is appropriate at this time. The data presented in these documents provide information concerning the reason for the contamination, steps taken to assess the contamination in both the soils and the groundwater, remediation of the contaminated soils, and proposed remedial technologies for the contaminated groundwater.

From this point on, all references to Building 193 (the dry cleaners facility) should acknowledge this area as a SWMU. In order to further promote the RCRA/CERCLA integration that the Tier I Team at MCRD is attempting, it is suggested that this area be referred to as "SITE/SWMU-45". Please revise the text to reflect this aspect of the integration of RCRA and

CERCLA.

RESPONSE: In all future reports, communication, etc., Building 193 will be referred to as Site 45/SWMU 45.

Comment 16b: Table 2-1 is not inclusive of all the SITES/SWMUs at MCRD. SITES/SWMUs 17-45 are missing. Please revise the table to include all of the SITES/SWMUs at MCRD.

RESPONSE: Table 2-1 will be revised to include Sites/SWMUs where further action will be taken. Sites/SWMUs with a NFA recommendation will not be added to the table.