

M00263.AR.000111  
MCRD PARRIS ISLAND  
5090.3a

LETTER AND MEMORANDUM REGARDING SOUTH CAROLINA DEPARTMENT OF HEALTH  
AND ENVIRONMENTAL CONTROL APPROVAL OF RCRA FACILITY  
INVESTIGATION/REMEDIAL INVESTIGATION WORK PLANS FOR SITE 1, SITE 2, SITE 3,  
SITE 15 AND SITE 41 MCRD PARRIS ISLAND SC  
4/13/1998  
SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



03.01.00.0050

200 Bull Street  
Columbia, SC 29201-1708

COMMISSIONER:  
Douglas E. Bryant

**CERTIFIED**

BOARD:  
John H. Burriss  
Chairman

April 13, 1998

William M. Hull, Jr., MD  
Vice Chairman

Commanding General, MCRD  
ATTN.: I&L ERR (NREAO)

Roger Leaks, Jr.  
Secretary

P.O. Box 19001  
Parris Island, SC 29905-9001

Mark B. Kent

RE: Approval of the following RCRA Facility Investigation/  
Remedial Investigation Work Plans:

Cyndi C. Mosteller

*Site/SWMU 1/41, Incinerator Landfill/Former Incinerator*

Brian K. Smith

*Site/SWMU 2/15, Borrow Pit Landfill/Dirt Roads*

Rodney L. Grandy

*Site/SWMU 3, Causeway Landfill, all dated March, 1998*

Marine Corps Recruit Depot (MCRD)

Parris Island, South Carolina

SC6 170 022 767

Dear Commanding General:

The Corrective Action Engineering Section and the Hazardous Waste Section/Division of Hydrogeology of the South Carolina Department of Health and Environmental Control (Department) are in receipt of and have reviewed the RFI/RI Work Plans for Site/SWMUs 1/41, 2/15, and 3.

The work plans were reviewed with respect to R.61-79 of the South Carolina Hazardous Waste Management Regulations (SWHWMR), and appropriate guidance documents. All work plans adequately address and incorporate all comments from prior reviews. The above work plans are approved and may be implemented as written.

If you have any questions, please contact Susan Peterson at (803) 896-4182 or Don Hargrove at (803) 896-4033.

Sincerely,

Joan Hartley, Manager  
Corrective Action Engineering Section  
Division of Hazardous and Infectious Waste Management

cc: Susan Peterson, Corrective Action Engineering  
Don Hargrove, Hydrogeology  
Russell Berry, SCDHEC-Low Country EQC  
Ken Lapierre, USEPA Region IV  
Art Sanford, Southern Division  
Karen Atchley, Bechtel Environmental Inc.

Mark Speranza, Tetrattech NUS  
Glenn Wagner, Tetrattech NUS  
Tom Dillon, NOAA  
Priscilla Wendt, Department of Natural Resources  
Diane Duncan, U.S. Fish & Wildlife  
Jody Laprade, Galileo Quality Institute



2600 Bull Street  
Columbia, SC 29201-1708

**MEMORANDUM**

**TO:** Susan Peterson, Engineering Associate  
Corrective Action Engineering Section  
Division of Hazardous and Infectious Waste Management  
Bureau of Land and Waste Management

**FROM:** Donald C. Hargrove, Hydrogeologist  
Hazardous Waste Section  
Division of Hydrogeology  
Bureau of Land and Waste Management

A handwritten signature in black ink, appearing to read 'Donald C. Hargrove', is written over the 'FROM:' field.

**DATE:** 10 March 1998

**RE:** Parris Island Marine Corps Recruit Depot (MCRD)  
Parris Island, South Carolina  
Beaufort County  
SC6 170 022 767

RCRA Facility Investigation/Remedial Investigation Work Plan for  
Site/SWMU 1-Incinerator Landfill, Site/SWMU 2-Borrow Pit Landfill,  
Site/SWMU 3-Causeway Landfill, Site/SWMU 15-Dirt Roads, and SWMU 41-  
Former Incinerator  
(dated March 1998)

The Division of Hydrogeology has reviewed the document listed above. This document (dated March 1998) was received on 30 March 1998. This document describes Solid Waste Management Units (SWMUs) 1, 2, 3, 15, and 41 at MCRD and describes previous work performed at these SWMUs. It also proposes sampling and analyses of sediment, surface water soils and groundwater in order to fulfill the requirements of a RCRA Facility Investigation (RFI). This document is a compilation of separate work plans that were previously submitted separately for each SWMU. This document also contains responses to comments generated during reviews of previous versions of these documents.

This document was reviewed with respect to R.61-79 of the South Carolina Hazardous Waste Management Regulations (SCHWMR), and appropriate guidance documents. Based on this review, the Division of Hydrogeology has determined that MCRD has adequately responded to these comments and sufficiently incorporated them into this version. It is therefore recommended that this version of the work plan can be approved and implemented as written.

If you have any questions regarding this decision, please call me at (803)896-4033.

DD980238.DCH