

M00263.AR.000196  
MCRD PARRIS ISLAND  
5090.3a

LETTER AND MEMORANDUM REGARDING SOUTH CAROLINA DEPARTMENT OF HEALTH  
AND ENVIRONMENTAL CONTROL COMMENTS ON INTERIM SOIL RECORD OF DECISION  
FOR SITE 3 CAUSEWAY LANDFILL MCRD PARRIS ISLAND SC

9/7/2000

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



2600 Bull Street  
Columbia, SC 29201-1708

10-187

05.01.03.0001

September 7, 2000

Commanding Officer  
Department of the Navy  
SOUTHNAVFACENGCOM  
ATTN: Mr. Art Sanford  
2155 Eagle Drive  
North Charleston, South Carolina 29406

RE: Interim Soil Record of Decision Site 3 – Causeway Landfill (8/00)  
Marine Corp Recruit Depot  
Parris Island  
SC6 170 022 762

Dear Mr. Sanford:

The Corrective Action Engineering and the Hydrogeology Sections of the South Carolina Department of Health and Environmental Control (Department) have completed the review of the above referenced document, which was received on August 2, 2000 via email. The Department has determined that the following comments must be adequately addressed prior to receiving final approval:


1. Title  
Please change the title to "Site/SWMU 3 – Causeway Landfill".
2. General  
The Department has several comments that are identical in nature to those issued by EPA Region IV. For the sake of brevity, the Department will not reiterate those comments. However, please be advised that approval of this document from the Department is contingent upon acceptable responses to the EPA's comments.
3. General  
This document should discuss the fact all necessary permits have been obtained for intrusive activities to be conducted in wetland areas, or that other arrangements have been made that would preclude the need to obtain such permits.

4. Appendix A, Page A-3, Proposed Changes in Use

This section should be revised to indicate that all land use changes will require Departmental review and approval. This should not be limited to changes to residential land use only. The Department must ensure that the proposed land use change is consistent with those exposure assumptions that were considered in the selection of the final remedy.

If you have any questions or concerns, please feel free to contact Jerry Stamps at (803) 896-4285 or Don Hargrove of the Division of Hydrogeology at (803) 896-4033.

Sincerely,



Jerry Stamps, Engineer Associate  
Corrective Action Engineering Section  
Division of Hazardous and Infectious Waste Management

cc:

David Brayack, TtNUS  
Tim Harrington, MCRD Parris Island  
Don Hargrove, Hydrogeology

Rob Pope, EPA Region IV  
Tom Dillon, NOAA  
Priscilla Wendt, SCDNR



2600 Bull Street  
Columbia, SC 29201-1708

## MEMORANDUM

TO: Jerry Stamps, Engineering Associate  
Corrective Action Engineering Section  
Division of Hazardous and Infectious Waste Management  
Bureau of Land and Waste Management

FROM: Donald C. Hargrove, Hydrogeologist  
Hazardous Waste Section  
Division of Hydrogeology  
Bureau of Land and Waste Management

DATE: 8 September, 2000

RE: Parris Island Marine Corps Recruit Depot (MCRD)  
Parris Island, South Carolina  
Beaufort County  
SC6 170 022 767

### DRAFT Interim Soil Record Of Decision, Site 3-Causeway Landfill

The Division of Hydrogeology has reviewed the above referenced document, dated July, 2000. This document was received electronically on 2 August, 2000. It provides a physical description of Site/SWMU 3 that includes the history of this SWMU. It describes previous environmental investigations performed at SWMU 3, presents analytical data generated during these investigations, and describes the remedy selected as an Interim Measure for SWMU-3.

This document was reviewed with respect to R.61-79 of the South Carolina Hazardous Waste Management Regulations (SCHWMR), and appropriate guidance documents.

The Division of Hydrogeology has also reviewed the EPA's comments (letter: Pope to Cheney, dated 31 August, 2000). Some of the EPA's comments mirror comments that were forthcoming from the Division. Therefore, the Division agrees with the EPA's comments and has no additional comments. The Division will be reviewing the responses to the EPA's comments upon receiving the revised subsequent revised document.

If you have any questions regarding this decision, please call me at (803)896-4033.

DD000565.DCH