



N00102.AR.000109
NSY PORTSMOUTH
5090.3a

DEPARTMENT OF THE NAVY

NORTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
BUILDING 77L, U.S. NAVAL BASE
PHILADELPHIA, PENNSYLVANIA 19112-5094

IN REPLY REFER TO

5090

Ser 1641/1823/LRD

13 MAY 1992

~~18 MAY 1992~~

Mr. Ernest Waterman
U.S. Environmental Protection Agency
Region I
J.F. Kennedy Building
Boston, MA 02203

Re: INTERIM CORRECTIVE MEASURE, SWMU #6 (DRMO STORAGE YARD)
NSY PORTSMOUTH, KITTEERY, MAINE

Dear Mr. Waterman:

This letter is to propose the implementation of Interim Corrective Measures at the DRMO Storage Yard (SWMU #6).

We are in the process of acquiring a design from McLaren Hart Corporation for a cap to cover the contaminated soil within the Storage Yard. At this time the scheduling of this Interim Corrective Action would provide a design in FY 92 and construction award in FY 93. Based on these timeframes we believe an interim cap could be in place by June 1993.

If you have any questions regarding this matter please contact me at (215) 897-6432. Thank You for your consideration.

Sincerely,

LINDA DIETZ

Remedial Project Manager

By direction of the Commanding Officer

Copy to:

MEDEP (P. Parker)

MEDEP (M. Hyland)

PORTSMOUTH (121, 121.5)

Re: INTERIM CORRECTIVE MEASURE, SWMU #6 (DRMO STORAGE YARD)

Internal copy to:

Code 405.1

Code 09A235