

N00101.AR.002395
NAS SOUTH WEYMOUTH
5090.3a

LETTER REGARDING THE TRANSMITTAL OF EXPLANATION OF SIGNIFICANT
DIFFERENCES FOR WEST GATE LANDFILL, SEWAGE TREATMENT PLANT AND AREA OF
CONCERN 55C NAS SOUTH WEYMOUTH MA
09/02/2010
U S EPA REGION I



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1

5 POST OFFICE SQUARE, SUITE 100

BOSTON, MA 02109-3912

September 2, 2010

Ms. Phoebe Call
Tetra Tech NUS, Inc.
55 Jonspin Road
Wilmington, MA 01887-1020

Re: Explanation of Significant Differences for West Gate Landfill, Former Sewage Treatment Plant and Area of Concern 55C

Dear Ms. Call:

Per the Navy's direction, I am enclosing 2 fully executed original copies of the document entitled *Explanation of Significant Differences to the Records of Decision for Operable Unit 7 Former Sewage Treatment Plant and Operable Unit 1 West Gate Landfill and to the Engineering Evaluation/Cost Analysis for Operable Unit 22 Area of Concern 55C* dated August 2010. As you know, a copy should be placed in the Administrative Record for the former South Weymouth Naval Air Station Superfund Site. Please submit an electronic copy of this signed ESD to EPA at your earliest convenience.

I appreciate your efforts in meeting this commitment and look forward to working with you and the rest of the team on the remaining investigations and clean ups. Please contact me at (617) 918-1388 with any questions.

Sincerely,

A handwritten signature in cursive script, appearing to read "Paul N. Marchessault".

Paul N. Marchessault, Remedial Project Manager
Federal Facilities Superfund Section

Enclosures

Cc w/o enclosures: **Brian J. Helland, USN, Lester, PA**
Dave Barney, USN, South Weymouth, MA
Dave Chaffin, MassDEP, Boston, MA

Toll Free • 1-888-372-7341

Internet Address (URL) • <http://www.epa.gov/region1>

Recycled/Recyclable • Printed with Vegetable Oil Based Inks on Recycled Paper (Minimum 30% Postconsumer)