

N69118.AR.001111
ST JULIENS CREEK
5090.3a

EMAIL AND CONCURRENCE FROM VIRGINIA DEPARTMENT OF ENVIRONMENTAL
QUALITY REGARDING SECOND RESPONSE TO COMMENTS ON SITE 2 RECORD OF
DECISION ST JULIENS CREEK ANNEX CHESAPEAKE VA
08/11/2010
VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY

Staszak, Janna/VBO

From: Doran, Karen (DEQ) [Karen.Doran@deq.virginia.gov]
Sent: Thursday, August 12, 2010 7:28 AM
To: Jones, Adrienne/VBO; Bob Stroud; Staszak, Janna/VBO; Walter Bell
Subject: FW: SJCA Site 2 ROD RTCs - VDEQ responses
Attachments: image001.jpg

Team -

See below.

Thanks,

Karen

From: Hollis, Michelle (DEQ)
Sent: Wednesday, August 11, 2010 9:43 AM
To: Doran, Karen (DEQ)
Subject: RE: SJCA Site 2 ROD RTCs - VDEQ responses

Karen,

I completed my review of their 2nd responses, and they are acceptable. I have no further comments at this time.

Thank You,

Michelle R. Hollis

Regulatory Analyst/ARARs Coordinator

Department of Environmental Quality

629 E. Main Street

Richmond, VA 23219

Phone: 804-698-4014

Email: Michelle.Hollis@deq.Virginia.gov

From: Janna.Staszak@CH2M.com [mailto:Janna.Staszak@CH2M.com]
Sent: Monday, August 09, 2010 11:14 AM
To: Doran, Karen (DEQ); Adrienne.Jones@CH2M.com; Stroud.Robert@epa.gov; walt.j.bell@navy.mil
Cc: Hollis, Michelle (DEQ)
Subject: RE: SJCA Site 2 ROD RTCs - VDEQ responses

Karen and team,

See the attached file for the responses to VDEQ's August 2nd ARARs comments. Please let us know if you'd like to discuss the responses or if they are acceptable.

Janna Staszak, P.E.
Project Manager
CH2M HILL
5700 Cleveland Street, Suite 101
Virginia Beach, VA 23462
Direct - 757.671.6256
Fax - 703.376.5992
Mobile - 757.268.6136
www.ch2mhill.com

From: Doran, Karen (DEQ) [mailto:Karen.Doran@deq.virginia.gov]
Sent: Monday, August 02, 2010 1:15 PM
To: Jones, Adrienne/VBO; Bob Stroud; Staszak, Janna/VBO; Walter Bell
Cc: Hollis, Michelle (DEQ)
Subject: SJCA Site 2 ROD RTCs - VDEQ responses

Team -

See below for responses to the VDEQ RPM comments. Also, see attached for responses to the VDEQ ARARs Coordinator comments.

RPM comment #5 - the reason for the difference in the dates is still unclear to the reader - please either update the information in the header row or insert a note to provide additional clarification

RPM comment #7 - the response inserts this sentence, "The chlorinated Site 21 chlorinate plume..." - please change "chlorinate" to "groundwater"

RPM comment #15 - please change the following in the text to be inserted - first sentence change "MCL" to "MCLs" - second sentence insert "indicated that contaminants" after "but instead"

Regards,

Karen M. Doran

Remedial Project Manager
Federal Facilities Program
Department of Environmental Quality
629 East Main Street
Richmond, VA 23219
phone - 804.698.4594
karen.doran@deq.virginia.gov