

N69118.AR.000981  
ST JULIENS CREEK  
5090.3a

## Staszak, Janna/VBO

---

**From:** Burchette.John@epamail.epa.gov  
**Sent:** Friday, February 20, 2009 2:59 PM  
**To:** Staszak, Janna/VBO; walt.j.bell@navy.mil  
**Cc:** Jones, Adrienne/VBO; kmdoran@deq.virginia.gov; jlcutler@deq.virginia.gov  
**Subject:** Comments on Site 21 FS.  
**Attachments:** Final FS Comments.doc

Please send final via pdf or cd.

**John Burchette(3HS11)**

Remedial Project Manager

NPL/BRAC/Federal Facilities Branch

**U.S. Environmental Protection Agency**

1650 Arch Street

Philadelphia, PA 19103-2029

Phone: 215.814.3378

Fax: 215.814.3025

Burchette.john@epa.gov

**EPA Comments  
Site 21 FS  
St. Juliens Creek Annex  
Chesapeake, VA**

EPA believes that if a remedy is selected that introduces reducing conditions at Site 21, COC's, as well as, naturally occurring metals that were mobilized as part of the remedy, should be monitored until they return to levels within EPA's acceptable risk range. The St. Juliens Creek Annex partnering team has agreed to address this issue through the Record of Decision.