

Staszak, Janna/VBO

From: Burchette.John@epamail.epa.gov
Sent: Friday, July 17, 2009 7:51 AM
To: Doran,Karen; Forshey, Adam/VBO; Jones, Adrienne/VBO; Staszak, Janna/VBO; Stroud.Robert@epamail.epa.gov; walt.j.bell@navy.mil
Subject: RE: SJCA Site 21 Propose Plan

I have just one point of clarification beyond Karen's. Please note that in the RoD we will have to define the DNAPL as a principal threat waste due to the concentrations of the contaminants (for the sake of consistency maybe would should change the end of section 3?). By definition we are several orders of magnitude above what EPA would consider an acceptable level for these contaminants. OSWER Directive 9283.1-33 (beneficial use) kinda makes the discussion of the poor quality irrelevant.

Contact me with any questions or concerns,

John Burchette(3HS11)

Remedial Project Manager
NPL/BRAC/Federal Facilities Branch
U.S. Environmental Protection Agency
1650 Arch Street
Philadelphia, PA 19103-2029
Phone: 215.814.3378
Fax: 215.814.3025
Burchette.john@epa.gov

From: "Doran,Karen" <Karen.Doran@deq.virginia.gov>
To: <Janna.Staszak@CH2M.com>, <walt.j.bell@navy.mil>, John Burchette/R3/USEPA/US@EPA, Robert Stroud/R3/USEPA/US@EPA
Cc: <Adrienne.Jones@CH2M.com>, <Adam.Forshey@CH2M.com>
Date: 07/17/2009 07:32 AM
Subject: RE: SJCA Site 21 Propose Plan

Janna -

On the last page it states the public meeting is Friday, August 11 - make the change to Tuesday, August 11. Once that is complete I concur with the document.

Also, I'd like one hard copy.

Thanks,

Karen

From: Janna.Staszak@CH2M.com [<mailto:Janna.Staszak@CH2M.com>]
Sent: Thursday, July 16, 2009 4:16 PM
To: walt.j.bell@navy.mil; Burchette.John@epamail.epa.gov; Stroud.Robert@epamail.epa.gov; Doran,Karen
Cc: Adrienne.Jones@CH2M.com; Adam.Forshey@CH2M.com
Subject: SJCA Site 21 Propose Plan

Hi team,

All of your comments have been incorporated into the Site 21 Interim Proposed Plan. It's attached and also posted to our web site. Please confirm that you concur with the document. We are in the process of publishing the public notice and will start the public review period August 1 (FFA requires 2 weeks after the public notice).

Also, please let me know if you are OK with the electronic deliverable or if you prefer a hard copy, and how many.

Thanks~

Janna Staszak, P.E.
Associate Project Manager
CH2M HILL
5700 Cleveland Street, Suite 101
Virginia Beach, VA 23462
Direct - 757.671.6256
Fax - 703.376.5992
Mobile - 757.268.6136
www.ch2mhill.com