



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
841 Chestnut Building
Philadelphia, Pennsylvania 19107

Office of Superfund
Robert Thomson, P.E.
Mail Code 3HW71

Direct Dial (215) 597-1110
FAX (215) 597-9890

Date: May 9, 1994

Ms. Brenda Norton, PE
Atlantic Division, Naval Facilities Engineering Command
Environmental Quality Division
Code: 1822
Building N 26, Room 54
1510 Gilbert Street
Norfolk, Va 23511-2699

Re: Naval Weapons Station, Yorktown, Va.
Non-time critical Removal Action(s)
SSAs 1, 2, and 5
Review of draft *Action Memorandum*

Dear Ms. Norton:

The U.S. Environmental Protection Agency (EPA) has reviewed the Navy's draft *Action Memorandum* for the non-time critical removal actions planned for Site Screening Areas (SSAs) 1, 2, and 5 located at the Naval Weapons Station - Yorktown NPL site (WPNSTA), and we have no significant comments pertaining to our review of this draft document.

If you have any questions concerning the above, please feel free to call me at (215) 597-1110,

Sincerely,

Robert Thomson, PE
VA/WV Superfund Federal Facilities (3HW71)

cc: Lisa Ellis (VDEQ, Richmond)
Jennifer Loftin (WPNSTA, Code 09E)