



DEPARTMENT OF THE NAVY
NAVAL ENERGY AND ENVIRONMENTAL SUPPORT ACTIVITY
PORT HUENEME, CALIFORNIA 93043

7/31/84-01787

Rec'd 2/84

IN REPLY REFER TO:
11100/1
Ser 112N/ 998

JUL 31 1984

From: Commanding Officer, Naval Energy and Environmental Support Activity
To: Distribution list

Subj: DISTRIBUTION OF FINAL REPORT OF INITIAL ASSESSMENT STUDY FOR NAVAL WEAPONS STATION, YORKTOWN, VA., OF JULY 1984

Ref: (a) OPNAVNOTE 6240 ser 45/733503 of 11 Sep 80
(b) OPNAVINST 5090.1 of 26 May 83
(c) CNO ltr 451/3U392444 of 5 Jul 83 (NOTAL)

Encl: (1) NEESA 13-044, Initial Assessment Study of Naval Weapons Station, Yorktown, Va., of July 1984

1. The Navy Assessment and Control of Installation Pollutants (NACIP) program was authorized by reference (a), which was superseded by reference (b). This program provides for the identification, assessment, and control of environmental contamination from past storage, use and disposal of chemicals and hazardous materials at Navy and Marine Corps activities. Under NACIP, the Naval Energy and Environmental Support Activity (NAVENENVSA) conducts an Initial Assessment Study (IAS) at an activity to ascertain the potential for environmental contamination. The study is coordinated with the cognizant Naval Facilities Engineering Command Engineering Field Division (EFD). If sites posing a potential threat to human health or to the environment are found to exist at an activity, a confirmation study and, if required, projects for corrective measures are initiated by the EFD. An IAS for Naval Weapons Station Yorktown (WPNSTA Yorktown), Virginia, was approved by the Chief of Naval Operations in reference (c).

2. Enclosure (1) is the final IAS report for WPNSTA Yorktown prepared by NAVENENVSA, by C. C. Johnson and Associates, Inc., of Silver Spring, Md., and CH2 M. Hill, Inc., of Reston, Va. WPNSTA Yorktown is requested to forward the report to the cognizant EPA regional office and appropriate state agency per reference (b). This should be done within thirty days of receipt of the report. Request a copy of the forwarding letter be sent to NAVENENVSA NEESA-112N.

3. Fifteen sites were recommended for confirmation study, Phase II of the NACIP program. The confirmation study consists of detailed physical and analytical monitoring to confirm or deny the presence of any contamination or health hazards, and to quantify the extent of any problems that may exist.

11100/1
Ser 112N/ 998

JUL 31 1984

4. The Atlantic Division, Naval Facilities Engineering Command (LANTNAVFACENGCOM) will coordinate all further actions of the NACIP program and will assist the activity to initiate the confirmation study. Point of contact is Joseph G. Wallmeyer, Naval Facilities Engineering Command, FAC-114, AUTOVON 564-9566, FTS 954-9566, or commercial (804) 444-9566.

5. Questions concerning the Initial Assessment Study may be referred to John Accardi, NAVENENVSA, NEESA-112N, AUTOVON 360-3351, FTS 799-3351, or commercial (805) 982-3351.



W. L. NELSON
By direction

Distribution:

CNO (OP-45) (2 copies)
CHNAVMAT (Code 04H2)
COMNAVSEASYS COM (Code 64121E) (2 copies)
COMNAVFACENGCOM (Code 112) (2 copies)
COMLANTNAVFACENGCOM (Code 114) (5 copies)
CO WPNSTA Yorktown (5 copies)
CO NAVORDSTA (OE) Indian Head