

N60200.AR.001417
NAS CECIL FIELD, FL
5090.3a

SITE ASSESSMENT REPORT FOR HANGAR 815 BASE REALIGNMENT AND CLOSURE
ZONE D INDUSTRIAL AND FLIGHT LINE AREA NAS CECIL FIELD FL
9/1/1998
HARDING LAWSON ASSOCIATES

SAM Pratt - ~~Pratt~~ Jacksonville

SAMPLING AND ANALYSIS REPORT
HANGAR 815
BASE REALIGNMENT AND CLOSURE
ZONE D, INDUSTRIAL AND FLIGHT LINE AREA

TRANSFER
15 TO UST
PROGRAM
~~BTNU~~

NAVAL AIR STATION CECIL FIELD
JACKSONVILLE, FLORIDA

Unit Identification Code: N60200
Contract No.: N62467-89-D-0317/090

Prepared by:

Harding Lawson Associates
2590 Executive Center Circle, East
Tallahassee, Florida 32301

Prepared for:

Department of the Navy, Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
North Charleston, South Carolina 29419

David Porter, Code 18B2, BRAC Environmental Coordinator

September 1998
Revision 0.0

TABLE OF CONTENTS

Sampling and Analysis Report
Hangar 815
Base Realignment and Closure
Zone D, Industrial and Flight Line Area
Naval Air Station Cecil Field, Jacksonville, Florida

<u>Chapter</u>	<u>Title</u>	<u>Page No.</u>
1.0	INTRODUCTION	1
2.0	PHASE II INVESTIGATION	1
3.0	PRELIMINARY RISK EVALUATION	3
3.1	PUBLIC HEALTH PRELIMINARY RISK EVALUATION	3
3.2	ECOLOGICAL PRELIMINARY RISK EVALUATION	4
4.0	CONCLUSIONS AND RECOMMENDATIONS	4
	REFERENCES	6

APPENDICES

- Appendix A: Soil Boring Log and Preliminary Risk Evaluation Table
- Appendix B: Laboratory Analytical Data

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>	<u>Page No.</u>
1	Facility 815, Hangar, Sample Location Plan	2

GLOSSARY

ABB-ES	ABB Environmental Services, Inc.
ACM	asbestos-containing material
BRAC	Base Realignment and Closure
EBS	environmental baseline survey
ELCR	excess lifetime cancer risk
FDEP	Florida Department of Environmental Protection
GCTL	groundwater cleanup target level
HLA	Harding Lawson Associates
HI	hazard index
HQ	hazard quotient
$\mu\text{g}/\ell$	micrograms per liter
NAS	Naval Air Station
PRE	preliminary risk evaluation
RBC	risk-based concentration
SAO	sampling and analysis outline
USEPA	U.S. Environmental Protection Agency
USGS	U.S. Geological Survey

1.0 INTRODUCTION

Harding Lawson Associates (HLA), under contract to Southern Division, Naval Facilities Engineering Command, has completed the Phase II Sampling and Analysis program for Hangar 815 at Naval Air Station (NAS) Cecil Field. This report summarizes the related field operations, results, conclusions, and recommendations.

Hangar 815 is an aircraft maintenance hangar, as described in the Base Realignment and Closure (BRAC) NAS Cecil Field Environmental Baseline Survey (EBS) (ABB Environmental Services, Inc. [ABB-ES], 1994a). Hangar 815 is located along the north-south flightline, south of Hangar 1845 and north of Hangar 825. Hangar 815 houses administrative offices and a large aircraft maintenance area.

An aircraft washrack is located on the concrete apron north of Hangar 815 (Figure 1). The washrack is a concrete-paved area, approximately 80 feet by 90 feet, and is sloped to drain rinsewater to a catch basin (Figure 1). Facility plans indicate that the catch basin in the washrack is currently connected to the sanitary sewage system. However, a gate valve in the washrack piping system may be used to divert runoff to the storm water drainage system when the washrack is not in use.



Friable asbestos-containing materials (ACMs) in pipe insulation and joint packing, and floor and ceiling tiles suspected of being ACM, have been identified in Hangar 815. The Asbestos Management Plan (Kemron, 1995a) indicates that all observed friable ACM and suspect ACM is in fair condition and can be maintained under an Operations and Maintenance plan until further damage occurs or until renovation impacts the material. It is likely that Facility 815 has been painted with lead-based paint. However, Department of Defense policy does not require remedial action at non-residential facilities.

Building 815 was color-coded Red in the EBS only because it is within the area of investigation for the Installation Restoration Program Site 16 groundwater contamination plume. The potential for release of contaminated rinsewater from the washrack to the storm water drainage system and the potential for infiltration of contaminants to shallow groundwater have subsequently been identified as potential environmental concerns.

A sampling and analysis outline (SAO) for the assessment of groundwater in the vicinity of Hangar 815 was prepared by HLA (then ABB-ES) and approved by the BRAC cleanup team (ABB-ES, 1995a). Potential environmental impacts associated with releases to the storm sewer system in the vicinity of the flightline industrial area are being evaluated separately.

2.0 PHASE II INVESTIGATION


This Phase II investigation included the installation of two shallow groundwater monitoring wells and collection and analysis of one groundwater sample from each well. Field activities were undertaken in general conformance with the Project Operations Plan (ABB-ES, 1994b).



LEGEND

22G00101 Monitoring well location with groundwater sample designation

AOI Area of Interest



**FIGURE 1
FACILITY 815
HANGAR
SAMPLE LOCATION PLAN**



SAMPLING AND ANALYSIS REPORT

**NAVAL AIR STATION CECIL FIELD
JACKSONVILLE, FLORIDA**

One groundwater monitoring well was installed adjacent to the east of each of the two catch basins in the washrack area north of Hangar 815. The groundwater flow direction was inferred to be to the east-southeast, on the basis of the groundwater flow model developed for NAS Cecil Field by the United States Geological Survey (USGS) (USGS, 1998). The wells were completed to a depth of 13 to 14 feet below land surface. One groundwater sample was collected from each of the wells and analyzed for the full Contract Laboratory Program suite of target compound list organics and target analyte list inorganics. A site plan indicating the locations of the monitoring wells is presented on Figure 1. Soil boring logs are included in Appendix A.

3.0 PRELIMINARY RISK EVALUATION

A preliminary risk evaluation (PRE) was conducted to assess potential risks to human and ecological receptors posed by contaminants in groundwater. Primary exposure pathways were evaluated to determine those pathways that potentially contribute to human health and ecological risks. The evaluation was conducted in general conformance with methodology provided in the U.S. Environmental Protection Agency (USEPA) Region IV memorandum entitled "Amended Guidance on PREs for the Purpose of Reaching a Finding of Suitability to Lease (FOSL)" (USEPA, 1994), USEPA Region IV bulletins on ecological risk assessment (USEPA, 1995), and minutes of meetings with the USEPA and the Florida Department of Environmental Protection (FDEP) concerning PREs (ABB-ES, 1995b). Site background information and rationale for sample collection and analysis are detailed in the EBS Report (ABB-ES, 1994a) and the SAO (ABB-ES, 1995a).

Inorganic analytes were compared to NAS Cecil Field screening criteria for inorganics established by the NAS Cecil Field partnering team. The NAS Cecil Field screening criteria were determined by using the nonparametric upper-outside value cutoffs as described in *Understanding Robust and Exploratory Data Analysis* (Hoaglin et al., 1983). These screening values were developed from data collected throughout NAS Cecil Field. No risk evaluation is conducted for inorganic analytes detected below NAS Cecil Field screening criteria for inorganics.

3.1 PUBLIC HEALTH PRELIMINARY RISK EVALUATION. All detected analytes were compared to readily available risk-based screening values to assess the likelihood of adverse human health effects associated with potential exposure to groundwater. Risk-based screening values were obtained from USEPA Region III Risk-Based Concentrations (RBCs) (USEPA, 1998) and FDEP Groundwater Cleanup Target Levels (GCTLs) (Florida Administrative Code, 1998). Most screening values published in the references listed above are based on toxicity constants and standard human exposure scenarios and correspond to fixed levels of risk. The designated level of risk for noncarcinogenic chemicals is based on a hazard quotient (HQ) of 1. The level of risk for carcinogenic chemicals is based on an excess lifetime cancer risk (ELCR) of 1×10^{-6} . Cancer and noncancer risks associated with industrial and residential land use are estimated by dividing the maximum detected analyte concentration by the corresponding USEPA Region III RBC value at the designated level of risk (HQ of 1 or ELCR of 1×10^{-6}). For noncarcinogens, the HQs are summed to determine the cumulative noncancer risk or hazard index (HI).

Thirteen inorganic analytes, two volatile organic compounds, two semivolatile organic compounds, and two pesticide compounds were detected in the groundwater sample collected in the study area. Manganese and potassium were the only inorganic analytes detected at concentrations in excess of the NAS Cecil Field screening criteria for inorganics. The maximum detected concentration of manganese in groundwater at this facility was 237 micrograms per liter ($\mu\text{g}/\ell$), which exceeds the GCTL of 50 $\mu\text{g}/\ell$. Potassium is a naturally occurring element in groundwater at NAS Cecil Field, and is also an essential nutrient. Naphthalene was detected at a concentration of 200 $\mu\text{g}/\ell$, which is in excess of the GCTL of 20 $\mu\text{g}/\ell$. No other volatile, semivolatile, or pesticide compounds were detected at concentrations in excess of GCTLs.

Concentrations of detected analytes in groundwater have been compared with RBCs for tap water and GCTLs and, when applicable, with NAS Cecil Field Inorganic Background Data Set (see Appendix A). A cumulative noncancer risk or HI of 0.4 was calculated based upon RBCs for tap water, for manganese (840 $\mu\text{g}/\ell$) and naphthalene (1,500 $\mu\text{g}/\ell$). There are no GCTL or RBC values associated with potassium in groundwater; therefore, no risk calculation was completed for this analyte. No carcinogenic compounds were detected in either of the two groundwater samples collected. Therefore, no ELCR was calculated.

3.2 ECOLOGICAL PRELIMINARY RISK EVALUATION. Potential exposure pathways and ecological habitat associated with Hangar 815 were characterized by HLA ecological risk assessors in June 1996. Hangar 815 is located in a developed flightline industrial area and is surrounded by pavement. No complete exposure pathways to groundwater were confirmed within the immediate study area. Therefore, no further ecological risk evaluation was conducted. The potential for environmental impact to surface water and sediment, associated with release or infiltration of contaminated rinsewater into the storm sewer system in the vicinity of the flightline industrial area, is being evaluated separately.

4.0 CONCLUSIONS AND RECOMMENDATIONS

Two groundwater samples from the shallow surficial aquifer were collected at Hangar 815. Manganese and naphthalene were detected at concentrations in excess of FDEP GCTLs. Naphthalene is a component of aviation fuel and may have infiltrated the shallow groundwater by seeping through joints in the washrack catch basin or pipes. The source for the elevated concentration of manganese is not known. The contaminants detected at the washrack do not represent a hazard to human health or the environment at the detected concentrations.

The Site 16 groundwater contaminant plume may extend beneath the southern portion of Hangar 815. Assessment of the Site 16 plume is in progress, but remedial action has not been completed. Therefore, the color classification for Hangar 815 should be changed to 5/Yellow. No further assessment is proposed for Hangar 815. Groundwater usage restrictions should be developed to prevent human exposure to contaminants, and to avoid influencing the spatial extent of the contaminant plume.

Asbestos and lead-based paint in the hangar do not currently represent a human health hazard. However, recommendations detailed in the Asbestos and Lead-Based

Paint Management (Kemron, 1995a; 1995b) plans should be followed to prevent human exposure to these substances. Appropriate site operation and management procedures should also be undertaken in order to ensure that other current and future site activities do not result in release of hazardous substances to the environment.

Tra



REFERENCES

- ABB Environmental Services, Inc. (ABB-ES). 1994a. *Base Realignment and Closure Environmental Baseline Survey Report, Naval Air Station Cecil Field, Jacksonville, Florida*. Prepared for SOUTHNAVFACENGCOC, North Charleston, South Carolina (November).
- ABB-ES. 1994b. *Project Operations Plan for Cecil Field and Health and Safety Plan*. Prepared for SOUTHNAVFACENGCOC, North Charleston, South Carolina (December).
- ABB-ES. 1995a. *Sampling and Analysis Outline, Hangar 815, Base Realignment and Closure, Zone D, Industrial and Flightline Area, Group III, Naval Air Station Cecil Field, Jacksonville, Florida*. Prepared for SOUTHNAVFACENGCOC, North Charleston, South Carolina (February).
- ABB-ES. 1995b. Minutes of September 25, 1995, conference call to discuss preliminary risk evaluations.
- Florida Administrative Code. 1998. *Brownfields Cleanup Criteria Rule: Chapter 62-785*. Tallahassee, Florida.
- Hoaglin, D.C., F. Mosteller, and J.W. Tukey. 1983. *Understanding Robust and Exploratory Data Analysis*. New York: John Wiley and Sons, Inc.
- Kemron. 1995a. *Asbestos Management Plan, Naval Air Station Cecil Field, Jacksonville, Florida*. Prepared for ABB-ES, Orange Park, Florida (October).
- Kemron. 1995b. *Lead-Based Management Plan, Naval Air Station Cecil Field, Jacksonville, Florida*. Prepared for ABB-ES, Orange Park, Florida (October).
- U.S. Environmental Protection Agency (USEPA). 1994. Memorandum from USEPA Region IV. Subject: "Amended Guidance on Preliminary Risk Evaluations (PREs) for the Purpose of Reaching a Finding of Suitability to Lease (FOSL)." Atlanta, Georgia (December 20).
- USEPA. 1995. *Supplemental Guidance to RAGS. Region IV bulletins*. USEPA Region IV Waste Management Division. Atlanta, Georgia.
- USEPA. 1998. *Risk-Based Concentration Table. Region III*. Philadelphia, Pennsylvania.
- U.S. Geological Survey. 1998. *Ground-Water Flow in the Surficial Aquifer System and Potential Movement of Contaminants from Selected Water-Disposal Sites at Cecil Field Naval Air Station, Jacksonville, Florida*. USGS Water-Resources Investigations Report 97-4278. Tallahassee, Florida.

APPENDIX A

SOIL BORING LOG AND PRELIMINARY RISK EVALUATION TABLE

TITLE: NAS Cecil Field BRAC		LOG of WELL: CEF-815-IS	BORING NO. CEF-815-IS
CLIENT: SOUTHDIVNAVFACENGCOM			PROJECT NO: 08520-85
CONTRACTOR: Alliance Environmental, Inc.		DATE STARTED: 12-15-95	COMPLTD: 12-15-95
METHOD: Auger	CASE SIZE: 2 in.	SCREEN INT.: 4 - 14 ft.	PROTECTION LEVEL: D
TOC ELEV.: FT.	MONITOR INST.: PID	TOT DPTH: 15.0FT.	DPTH TO ∇ 5.5 FT.
LOGGED BY: R. Holloway	WELL DEVELOPMENT DATE:		SITE: 22 - 815 Hangar

DEPTH F.T.	LABORATORY SAMPLE ID.	SAMPLE	RECOVERY	HEADSPACE (ppm)	SOIL/ROCK DESCRIPTION AND COMMENTS	LITHOLOGIC SYMBOL	SOIL CLASS	BLOWS/6-IN	WELL DATA		
1				66	SILTY SAND (SM): 100%, dark grayish brown to black, quartz, fine- to very fine-grained, subrounded to subangular, well sorted.		SM				
2											posthole
3				19							posthole
4											
5				17							12,12,16,28
6											
7				23							33,39,41,43
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											
24											
25											
26											
27											
28											
29											
30											

**Preliminary Human Health Risk Evaluation Table for Analytes Detected in Groundwater
Facility 815, Naval Air Station Cecil Field**

Analyte ¹	22G00101	22G00201	Screening Values			Calculated Risk Values ²	
			BKGRD	GCTL	RBC(T)	ELCR	HQ
<u>Volatile Organic Compounds</u>							
4-Methyl-2-pentanone	32	7		560	2900 n		
Acetone	61	80		700	3700 n		
<u>Semivolatile Organic Compounds</u>							
2-Methylnaphthalene	14			20	1500 n		
*Naphthalene	200	6.2		20	1500 n		0.1
<u>Pesticides/PCBs</u>							
Endrin ketone	0.024			2	11 n		
Methoxychlor	0.015			40	180 n		
<u>Inorganic Analytes</u>							
*Aluminum	204	415	13100	200	37000 n		
Barium	18.2	11.6	88.2	2000	2600 n		
Calcium	76700	60900	81100				
Copper	2.1		12.5	1000	1500 n		
*Iron	4620	2250	7760	300	11000 n		
Magnesium	5190	3280	10000				
*Manganese	237	73.7	96.2	50	840 n		0.3
*Potassium	9140	1120	4330				
Selenium	3.3		7	50	180 n		
Sodium	13300	7840	16500	160000			
Vanadium	2.6	2.3	20.2	49	260 n		
Zinc	51.1	21.5	76.8	5000	11000 n		
Cyanide	3.3	4	22	200	730 n		
<u>General Chemistry</u>							
Total petroleum hydrocarbons	2.1			5000			
						Sum=	0.4

Notes:

¹ All detected analytes are reported. Concentrations and screening values are expressed in ug/l

²ELCR and HQ are only calculated for analytes detected at concentrations in excess of BKGRD and GCTL

* = Background screening criteria or GCTLs have been exceeded

BKGRD = NAS Cecil Field Inorganic Background Data Set

GCTL = Groundwater Cleanup Target Levels, FDEP, Chapter 62-785, Florida Administrative Code

RBC(T) = Risk-based Concentration (Tap Water), USEPA Region III, April 1998

n = non-carcinogenic risk

ELCR = calculated excess lifetime cancer risk, based on RBC(T) values.

(ELCR = maximum detected concentration/RBC(T) * 1E-06)

HQ = calculated Hazard Quotient for non-carcinogenic analytes

(HQ = maximum detected concentration/RBC(T))

APPENDIX B
LABORATORY ANALYTICAL DATA

NAS CECIL FIELD -- FACILITY 815
 GROUNDWATER -- VOLATILES -- REPORT REQUEST NO. 10154

Lab Sample Number:	C32WD	C32WQ			
Site	CECILBRAC2	CECILBRAC2			
Locator	22G00101	22G00201			
Collect Date:	21-FEB-96	21-FEB-96			
VALUE	QUAL UNITS	DL	VALUE	QUAL UNITS	DL

CLP VOLATILES 90-SQW

Chloromethane	3 U	ug/l	3	5 U	ug/l	5
Bromomethane	3 U	ug/l	3	5 U	ug/l	5
Vinyl chloride	3 U	ug/l	3	5 U	ug/l	5
Chloroethane	3 U	ug/l	3	5 U	ug/l	5
Methylene chloride	2 U	ug/l	2	2 U	ug/l	2
Acetone	61	ug/l	3	80	ug/l	5
Carbon disulfide	2 U	ug/l	2	2 U	ug/l	2
1,1-Dichloroethene	2 U	ug/l	2	2 U	ug/l	2
1,1-Dichloroethane	2 U	ug/l	2	2 U	ug/l	2
1,2-Dichloroethene (total)	2 U	ug/l	2	2 U	ug/l	2
Chloroform	2 U	ug/l	2	2 U	ug/l	2
1,2-Dichloroethane	2 U	ug/l	2	2 U	ug/l	2
2-Butanone	3 U	ug/l	3	5 U	ug/l	5
1,1,1-Trichloroethane	2 U	ug/l	2	2 U	ug/l	2
Carbon tetrachloride	2 U	ug/l	2	2 U	ug/l	2
Bromodichloromethane	2 U	ug/l	2	2 U	ug/l	2
1,2-Dichloropropane	2 U	ug/l	2	2 U	ug/l	2
cis-1,3-Dichloropropene	2 U	ug/l	2	2 U	ug/l	2
Trichloroethene	2 U	ug/l	2	2 U	ug/l	2
Dibromochloromethane	2 U	ug/l	2	2 U	ug/l	2
1,1,2-Trichloroethane	2 U	ug/l	2	2 U	ug/l	2
Benzene	2 U	ug/l	2	2 U	ug/l	2
trans-1,3-Dichloropropene	2 U	ug/l	2	2 U	ug/l	2
Bromoform	2 U	ug/l	2	2 U	ug/l	2
4-Methyl-2-pentanone	32	ug/l	3	7	ug/l	5
2-Hexanone	3 U	ug/l	3	5 U	ug/l	5
Tetrachloroethene	2 U	ug/l	2	2 U	ug/l	2
Toluene	2 U	ug/l	2	2 U	ug/l	2
1,1,2,2-Tetrachloroethane	2 U	ug/l	2	2 U	ug/l	2
Chlorobenzene	2 U	ug/l	2	2 U	ug/l	2
Ethylbenzene	2 U	ug/l	2	2 U	ug/l	2
Styrene	2 U	ug/l	2	2 U	ug/l	2
Xylenes (total)	2 U	ug/l	2	2 U	ug/l	2

U = NOT DETECTED J = ESTIMATED VALUE
 UJ = REPORTED QUANTITATION LIMIT IS QUALIFIED AS ESTIMATED
 R = RESULT IS REJECTED AND UNUSABLE

NAS CECIL FIELD -- FACILITY 815
GROUNDWATER -- SEMIVOLATILES -- REPORT REQUEST NO. 10155

Lab Sample Number:
Site
Locator
Collect Date:

C32WD
CECILBRAC2
22G00101
21-FEB-96

DL

C32WQ
CECILBRAC2
22G00201
21-FEB-96

VALUE

QUAL UNITS

DL

CLP SEMIVOLATILES 90-SQW

	VALUE	QUAL UNITS	DL	VALUE	QUAL UNITS	DL
Phenol	200	U ug/l	200	100	U ug/l	100
bis(2-Chloroethyl) ether	200	U ug/l	200	100	U ug/l	100
2-Chlorophenol	200	U ug/l	200	100	U ug/l	100
1,3-Dichlorobenzene	200	U ug/l	200	100	U ug/l	100
1,4-Dichlorobenzene	200	U ug/l	200	100	U ug/l	100
1,2-Dichlorobenzene	200	U ug/l	200	100	U ug/l	100
2-Methylphenol	200	U ug/l	200	100	U ug/l	100
2,2-oxybis(1-Chloropropane)	200	U ug/l	200	100	U ug/l	100
4-Methylphenol	200	U ug/l	200	100	U ug/l	100
N-Nitroso-di-n-propylamine	200	U ug/l	200	100	U ug/l	100
Hexachloroethane	200	U ug/l	200	100	U ug/l	100
Nitrobenzene	200	U ug/l	200	100	U ug/l	100
Isophorone	200	U ug/l	200	100	U ug/l	100
2-Nitrophenol	200	U ug/l	200	100	U ug/l	100
2,4-Dimethylphenol	200	U ug/l	200	100	U ug/l	100
bis(2-Chloroethoxy) methane	200	U ug/l	200	100	U ug/l	100
2,4-Dichlorophenol	200	U ug/l	200	100	U ug/l	100
1,2,4-Trichlorobenzene	200	U ug/l	200	100	U ug/l	100
Naphthalene	200	U ug/l	200	6.2	J ug/l	100
4-Chloroaniline	200	U ug/l	200	100	U ug/l	100
Hexachlorobutadiene	200	U ug/l	200	100	U ug/l	100
4-Chloro-3-methylphenol	200	U ug/l	200	100	U ug/l	100
2-Methylnaphthalene	14	J ug/l	200	100	U ug/l	100
Hexachlorocyclopentadiene	200	U ug/l	200	100	U ug/l	100
2,4,6-Trichlorophenol	200	U ug/l	200	100	U ug/l	100
2,4,5-Trichlorophenol	500	U ug/l	500	250	U ug/l	250
2-Chloronaphthalene	200	U ug/l	200	100	U ug/l	100
2-Nitroaniline	500	U ug/l	500	250	U ug/l	250
Dimethylphthalate	200	U ug/l	200	100	U ug/l	100
Acenaphthylene	200	U ug/l	200	100	U ug/l	100
2,6-Dinitrotoluene	200	U ug/l	200	100	U ug/l	100
3-Nitroaniline	500	U ug/l	500	250	U ug/l	250
Acenaphthene	200	U ug/l	200	100	U ug/l	100
2,4-Dinitrophenol	500	U ug/l	500	250	U ug/l	250
4-Nitrophenol	500	U ug/l	500	250	U ug/l	250
Dibenzofuran	200	U ug/l	200	100	U ug/l	100
2,4-Dinitrotoluene	200	U ug/l	200	100	U ug/l	100
Diethylphthalate	200	U ug/l	200	100	U ug/l	100
4-Chlorophenyl-phenylether	200	U ug/l	200	100	U ug/l	100
Fluorene	200	U ug/l	200	100	U ug/l	100
4-Nitroaniline	500	U ug/l	500	250	U ug/l	250
4,6-Dinitro-2-methylphenol	500	U ug/l	500	250	U ug/l	250
N-Nitrosodiphenylamine	200	U ug/l	200	100	U ug/l	100
4-Bromophenyl-phenylether	200	U ug/l	200	100	U ug/l	100
Hexachlorobenzene	200	U ug/l	200	100	U ug/l	100
Pentachlorophenol	500	U ug/l	500	250	U ug/l	250
Phenanthrene	200	U ug/l	200	100	U ug/l	100
Anthracene	200	U ug/l	200	100	U ug/l	100
Carbazole	200	U ug/l	200	100	U ug/l	100
Di-n-butylphthalate	200	U ug/l	200	100	U ug/l	100

NAS CECIL FIELD -- FACILITY 815
GROUNDWATER -- SEMIVOLATILES -- REPORT REQUEST NO. 10155

Lab Sample Number:
Site
Locator
Collect Date:

C32W0
CECILBRAC2
22G00101
21-FEB-96

C32WQ
CECILBRAC2
22G00201
21-FEB-96

VALUE QUAL UNITS DL VALUE QUAL UNITS DL

	VALUE	QUAL UNITS	DL	VALUE	QUAL UNITS	DL	
Fluoranthene	200	U	ug/l	200	100 U	ug/l	100
Pyrene	200	U	ug/l	200	100 U	ug/l	100
Butylbenzylphthalate	200	U	ug/l	200	100 U	ug/l	100
3,3-Dichlorobenzidine	200	U	ug/l	200	100 U	ug/l	100
Benzo (a) anthracene	200	U	ug/l	200	100 U	ug/l	100
Chrysene	200	U	ug/l	200	100 U	ug/l	100
bis(2-Ethylhexyl) phthalate	200	U	ug/l	200	100 U	ug/l	100
Di-n-octylphthalate	200	U	ug/l	200	100 U	ug/l	100
Benzo (b) fluoranthene	200	U	ug/l	200	100 U	ug/l	100
Benzo (k) fluoranthene	200	U	ug/l	200	100 U	ug/l	100
Benzo (a) pyrene	200	U	ug/l	200	100 U	ug/l	100
Indeno (1,2,3-cd) pyrene	200	U	ug/l	200	100 U	ug/l	100
Dibenzo (a,h) anthracene	200	U	ug/l	200	100 U	ug/l	100
Benzo (g,h,i) perylene	200	U	ug/l	200	100 U	ug/l	100

U = NOT DETECTED J = ESTIMATED VALUE
UJ = REPORTED QUANTITATION LIMIT IS QUALIFIED AS ESTIMATED
R = RESULT IS REJECTED AND UNUSABLE

NAS CECIL FIELD -- FACILITY 815
GROUNDWATER -- PESTICIDES & PCBs -- REPORT REQUEST NO. 10156

Lab Sample Number:	C32WD		C32WQ		
Site	CECILBRAC2		CECILBRAC2		
Locator	22G00101		22G00201		
Collect Date:	21-FEB-96		21-FEB-96		
	VALUE	QUAL UNITS	DL	VALUE	QUAL UNITS
					DL

	VALUE	QUAL UNITS	DL	VALUE	QUAL UNITS	DL
LP PESTICIDES/PCBS 90-SOW						
alpha-BHC	.05 U	ug/l	.05	.05 U	ug/l	.05
beta-BHC	.05 U	ug/l	.05	.05 U	ug/l	.05
delta-BHC	.05 U	ug/l	.05	.05 U	ug/l	.05
gamma-BHC (Lindane)	.05 U	ug/l	.05	.05 U	ug/l	.05
Heptachlor	.05 U	ug/l	.05	.05 U	ug/l	.05
Aldrin	.05 U	ug/l	.05	.05 U	ug/l	.05
Heptachlor epoxide	.05 U	ug/l	.05	.05 U	ug/l	.05
Endosulfan I	.05 U	ug/l	.05	.05 U	ug/l	.05
Dieldrin	.1 U	ug/l	.1	.1 U	ug/l	.1
4,4-DDE	.1 U	ug/l	.1	.1 U	ug/l	.1
Endrin	.1 U	ug/l	.1	.1 U	ug/l	.1
Endosulfan II	.1 U	ug/l	.1	.1 U	ug/l	.1
4,4-DDD	.1 U	ug/l	.1	.1 U	ug/l	.1
Endosulfan sulfate	.1 U	ug/l	.1	.1 U	ug/l	.1
4,4-DDT	.1 U	ug/l	.1	.1 U	ug/l	.1
Methoxychlor	.015 J	ug/l	.5	.5 U	ug/l	.5
Endrin ketone	.024 J	ug/l	.1	.1 U	ug/l	.1
Endrin aldehyde	.1 U	ug/l	.1	.1 U	ug/l	.1
alpha-Chlordane	.05 U	ug/l	.05	.05 U	ug/l	.05
gamma-Chlordane	.05 U	ug/l	.05	.05 U	ug/l	.05
Toxaphene	5 U	ug/l	5	5 U	ug/l	5
Aroclor-1016	1 U	ug/l	1	1 U	ug/l	1
Aroclor-1221	2 U	ug/l	2	2 U	ug/l	2
Aroclor-1232	1 U	ug/l	1	1 U	ug/l	1
Aroclor-1242	1 U	ug/l	1	1 U	ug/l	1
Aroclor-1248	1 U	ug/l	1	1 U	ug/l	1
Aroclor-1254	1 U	ug/l	1	1 U	ug/l	1
Aroclor-1260	1 U	ug/l	1	1 U	ug/l	1

U = NOT DETECTED J = ESTIMATED VALUE
 UJ = REPORTED QUANTITATION LIMIT IS QUALIFIED AS ESTIMATED
 R = RESULT IS REJECTED AND UNUSABLE

NAS CECIL FIELD -- FACILITY 815
GROUNDWATER -- INORGANICS -- REPORT REQUEST NO. 10157

Lab Sample Number:	C32WD	C32WQ
Site	CECILBRAC2	CECILBRAC2
Locator	22G00101	22G00201
Collect Date:	21-FEB-96	21-FEB-96
	VALUE	DL
	QUAL UNITS	DL

CLP METALS AND CYANIDE

	VALUE	QUAL UNITS	DL	VALUE	QUAL UNITS	DL
Aluminum	204 J	ug/l	40	415 J	ug/l	40
Antimony	2 U	ug/l	12	2 U	ug/l	12
Arsenic	3 U	ug/l	2	3 U	ug/l	2
Barium	18.2 J	ug/l	40	11.6 J	ug/l	40
Beryllium	1 U	ug/l	1	1 U	ug/l	1
Cadmium	1 U	ug/l	1	1 U	ug/l	1
Calcium	76700	ug/l	1000	60900	ug/l	1000
Chromium	2 U	ug/l	2	2 U	ug/l	2
Cobalt	2 U	ug/l	10	2 U	ug/l	10
Copper	2.1 J	ug/l	5	2 U	ug/l	55
Iron	4620 J	ug/l	20	2250 J	ug/l	20
Lead	2 U	ug/l	.6	2 U	ug/l	.6
Magnesium	5190	ug/l	1000	3280 J	ug/l	1000
Manganese	237	ug/l	3	73.7	ug/l	3
Mercury	2 U	ug/l	.1	2 U	ug/l	.1
Nickel	2 U	ug/l	8	2 U	ug/l	8
Potassium	9140	ug/l	1000	1120 J	ug/l	1000
Selenium	3.3 J	ug/l	1	3 U	ug/l	1
Silver	1 U	ug/l	2	1 U	ug/l	2
Sodium	13300	ug/l	1000	7840	ug/l	1000
Thallium	4 U	ug/l	2	4 U	ug/l	2
Vanadium	2.6 J	ug/l	10	2.3 J	ug/l	10
Zinc	51.1 J	ug/l	4	21.5 J	ug/l	4
Cyanide	3.3 J	ug/l	.5	4 J	ug/l	.5

U = NOT DETECTED J = ESTIMATED VALUE
UJ = REPORTED QUANTITATION LIMIT IS QUALIFIED AS ESTIMATED
R = RESULT IS REJECTED AND UNUSABLE

NAS CECIL FIELD -- FACILITY 815
GROUNDWATER -- TRPH -- REPORT REQUEST NO. 10158

Lab Sample Number:	A6B2201220	A6B2201220
Site	CECILBRAC2	CECILBRAC2
Locator	22G00101	22G00201
Collect Date:	21-FEB-96	21-FEB-96
VALUE	QUAL UNITS	DL

	VALUE	QUAL UNITS	DL	VALUE	QUAL UNITS	DL
PH						
Total petroleum hydrocarbons	2.1	mg/l	.5	.5 U	mg/l	.5

U = NOT DETECTED J = ESTIMATED VALUE
UJ = REPORTED QUANTITATION LIMIT IS QUALIFIED AS ESTIMATED
R = RESULT IS REJECTED AND UNUSABLE