

N60200.AR.001485  
NAS CECIL FIELD, FL  
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
CONCURRENCE WITH NO FURTHER ACTION RECOMMENDATION FOR FACILITY 414  
TANK 414 NAS CECIL FIELD FL  
10/15/1998  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

October 15, 1998

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

Commanding Officer  
Mr. Bryan Kizer, Code 1842  
SOUTHNAVFACENGCOM  
Post Office Box 190010  
North Charleston, SC 29419-0068

RE: Tank Closure Report, Tank 414, Facility 414,  
Naval Air Station Cecil Field, Florida.

Dear Mr. Kizer:


I have completed the technical review of the Tank Closure Report, dated June 1998 (received July 8, 1998) submitted for the above-referenced building. FDEP concurs with the recommendation of no further action and that a Site Assessment is not warranted under Chapters 62-770, Florida Administrative Code.

FDEP's concurrence is predicated on the information provided by the SOUTHNAVFACENGCOM. Therefore, any new information contradicting the basis for this concurrence, may require further investigation or remedial actions.

If you have any concerns regarding this letter, please contact me at (904) 921-9991.

Sincerely,

Michael J. Deliz, B.G.  
Remedial Project Manager



15-OCT-98

Date

CC: Debbie Vaughn-Wright, USEPA - Atlanta  
John Flowe - City of Jacksonville  
David Porter, SOUTHNAVFACENGCOM  
Dave Kruzicki, NAS Cecil Field  
Eric Blomberg, ABB-ES

*"Protect, Conserve and Manage Florida's Environment and Natural Resources"*

Printed on recycled paper.

Mr. Bryan Kizer  
Page Two  
October 15, 1998

TJB B JCC JJC ESN ESN