N60200.AR.001501
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION CONCURRENCE WITH NO FURTHER ACTION RECOMMENDATION FOR FACILITY 435 TANK 435 NAS CECIL FIELD FL
10/15/1998
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

October 15, 1998

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Commanding Officer
Mr. Bryan Kizer, Code 1842
SOUTHNAVFACENGCOM
Post Office Box 190010
North Charleston, SC 29419-0068

RE: Tank Closure Report, Tank 435, Facility 435,
Naval Air Station Cecil Field, Florida.

Dear Mr. Kizer:

I have completed the technical review of the Tank Closure Report, dated June 1998 (received July 8, 1998) submitted for the above-referenced building. FDEP concurs with the recommendation of no further action and that a Site Assessment is not warranted under Chapters 62-770, Florida Administrative Code.

FDEP's concurrence is predicated on the information provided by the SOUTHNAVFACENGCOM. Therefore, any new information contradicting the basis for this concurrence, may require further investigation or remedial actions.

If you have any concerns regarding this letter, please contact me at (904) 921-9991.

Sincerely,

Michael J. Deliz

Michael J. Deliz, P.G.
Remedial Project Manager

MICHAEL J. DELIZ
LICENSE
NO. 1481
STATE OF
FLORIDA
PROFESSIONAL GEOLOGIST

15-OCT-98
Date

CC: Debbie Vaughn-Wright, USEPA - Atlanta
John Flowe - City of Jacksonville
David Porter, SOUTHNAVFACENGCOM
Dave Kruzicki, NAS Cecil Field
Eric Blomberg, ABB-ES

TJB TJB JCC JCC ESN ESN

Printed on recycled paper.