

N60200.AR.001725
NAS CECIL FIELD, FL
5090.3a

SAMPLING AND ANALYSIS OUTLINE ADDENDUM FOR FACILITY 950 BASE
REALIGNMENT AND CLOSURE NAS CECIL FIELD FL
3/1/1999
HARDING LAWSON ASSOCIATES

SAMPLING AND ANALYSIS OUTLINE ADDENDUM

FACILITY 950

BASE REALIGNMENT AND CLOSURE

**NAVAL AIR STATION CECIL FIELD
JACKSONVILLE, FLORIDA**

Unit Identification No. N60200

Contract No. N62467-89-D-0317/090

Prepared by:

**Harding Lawson Associates
2590 Executive Center Circle, East
Tallahassee, Florida 32301**

Prepared for:

**Department of the Navy, Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
North Charleston, South Carolina 29419**

Mr. Scott Glass, Code 18B12, BRAC Environmental Coordinator

March 1999

Revision 0.0

**Sampling and Analysis Outline
Base Realignment and Closure
Facility 950**

This addendum to the Sampling and Analysis Outline (SAO) for Facility 950 documents the rationale and decision to reclassify the facility from 2/Blue to 1/White. Facility 950 is a youth center and traffic safety building located off A Avenue and is part of Seymour Park.

Facility 950 was color-coded Blue in the Environmental Baseline Survey (EBS) Report because of the presence of an aboveground storage tank (AST). The Tank Management Plan (TMP) (ABB-ES, 1997) indicates a 150-gallon tank AST (Tank 950) was used to store kerosene for on-site heating. A contamination assessment plan for the assessment of soil and groundwater at Tank 950 was prepared in November 1996 (ABB-ES, 1996). A Site Assessment Report (SAR) was prepared for Tank 950 in September 1998 (HLA, 1998) and a Confirmatory Sampling Report (CSR) was prepared for Tank 950 in November 1998 (HLA, 1998). Results of the SAR and the CSR indicated no excessively contaminated soil or groundwater contaminants at the Tank 950 site. A "No further Action" recommendation for Tank 950 was approved by the Florida Department of Environmental Protection on December 1, 1998.

The environmental status of Facility 950 was reviewed during the Base Realignment and Closure (BRAC) Cleanup Team meeting on January 13, 1999. Based on the information in the EBS, the SAR, the CSR, the latest interpretation of the BCP guidance, and the evaluation presented above, the NAS Cecil Field BRAC Cleanup Team concurred with the recommendation to revise the color code for Facility 950 from Blue to White.

References:

- ABB-Environmental Services, Inc. (ABB-ES), 1994. Base Realignment and Closure Environmental Baseline Report, Naval Air Station Cecil Field, Jacksonville, Florida: Prepared for Southern Division, Naval Facilities Engineering Command (SOUTHNAVFACENCOM), November.
- ABB-ES, 1995. Base Realignment and Closure Sampling and Analysis Outlines, Naval Air Station Cecil Field, Jacksonville, Florida: Prepared for SOUTHNAVFACENCOM, July.
- ABB-ES, 1996. Contamination Assessment Plan, Naval Air Station Cecil Field, Jacksonville, Florida: Prepared for SOUTHNAVFACENCOM, November.
- Harding Lawson Associates (HLA), 1998. Site Assessment Report, Naval Air Station Cecil Field, Jacksonville, Florida: Prepared for SOUTHNAVFACENCOM, September.
- HLA, 1998. Confirmatory Sampling Report, Naval Air Station Cecil Field, Jacksonville, Florida: Prepared for SOUTHNAVFACENCOM, November.
- Florida Department of Environmental Protection, 1998. Approval letter for Confirmatory Sampling Report, Revision 1, Tank 950, Building 950, Naval Air Station Cecil Field, Jacksonville, Florida, December.