

N60200.AR.001881
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CONCURRENCE WITH RECOMMENDATION FOR SITE ASSESSMENT AT FACILITY 437
TANK 437 NAS CECIL FIELD FL
5/11/1999
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

Job Bush
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

May 11, 1999

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Commanding Officer
Mr. Bryan Kizer, Code 1842
SOUTHNAVFACENGCOM
Post Office Box 190010
North Charleston, SC 29419-0068

RE: Confirmation Sampling Report, Tank 437, Facility 437,
Naval Air Station Cecil Field, Florida.

Dear Mr. Kizer:

I have completed the technical review of the Confirmation Sampling Report, dated April 1999 (received April 8, 1999) submitted for the above-referenced facility. FDEP concurs with the recommendation that a Site Assessment is warranted under Chapter 62-770, Florida Administrative Code.

If you have any concerns regarding this letter, please contact me at (850) 921-9991.


Sincerely,

Michael J. Deliz

Michael J. Deliz, P.G.
Remedial Project Manager

11-MAY-99

Date



CC: Debbie Vaughn-Wright, USEPA - Atlanta
John Flowe, City of Jacksonville
Scott Glass, SOUTHNAVFACENGCOM
Dave Kruzicki, NAS Cecil Field
Sam Pratt, TtNUS - Pittsburgh

TJB B JCC ffe ESN ffe