

N60200.AR.002148
NAS CECIL FIELD, FL
5090.3a

PHASE 6 SAMPLING AND ANALYSIS WORK PLAN FOR POTENTIAL SOURCE OF
CONTAMINATION 21 GOLF COURSE PESTICIDE MIXING AREA NAS CECIL FIELD FL
10/18/1999
TETRA TECH NUS INC

**Phase VI Sampling and Analysis Work Plan
PSC 21, Golf Course Pesticide Mixing Area
Naval Air Station Cecil Field
Jacksonville, Florida**

October 18, 1999

Phase VI sampling and analysis is proposed for PSC 21, Golf Course Pesticide Mixing Area. Pesticides, arsenic, polycyclic aromatic hydrocarbons (PAHs), and total petroleum hydrocarbons (TPH) have been detected in soil and groundwater samples at this site during previous sampling.

A total of 4 soil samples, including 1 surface soil and 3 subsurface soil samples, will be collected during Phase VI from the approximate locations identified on Figure A and described in Table 1.

The surface soil sample will be collected as a grab sample using plastic, disposable trowels. Hand augering may be required to obtain the subsurface soil samples. The proposed soil sample locations shall be located by a registered land surveyor and marked with a wooden stake or pin flag labeled with the sample identification. The sampling crew will work with the survey crew to establish the best procedures to limit the time between the marking of the location and collecting the sample.

The sampling activities and procedures described in this work plan will be performed in accordance with the U.S. EPA Region 4 Environmental Investigation Standard Operating Procedures and Quality Assurance Manual (EISOPQAM) and the Base-Wide Generic Work Plan for Naval Air Station (NAS) Cecil Field. Specifically, the Base-Wide Generic Work Plan includes procedures for management of investigation-derived wastes in Volume I and standard operating procedures in the Project Operations Plan in Volume II.

Personnel protection equipment and other waste trash (e.g. disposable trowels) will not be considered hazardous and will be disposed in a municipal landfill. Such trash will be collected in a plastic bag and disposed in a suitable trash receptacle. Sampling handling requirements, the bottleware required, preservation, and holding time requirements for the analysis proposed for this sampling event are as identified in the following table:

Analysis	Analytical Method	Bottleware	Preservation	Holding Time⁽¹⁾
Pesticides	SW-846 8081A	3 8-oz. glass jar	Cool to 4°C	14 days to extraction; 40 days to analysis
Arsenic	SW-846 6010B	8-oz. glass jar	Cool to 4°C	180 days to analysis

1 Holding times are measured from the date/time of sample collection.

Analytical results will be reported on a 14-day turn around basis.

The laboratory contracted to do this work is as follows:

ACCUTEST SOUTHEAST
4405 Vineland Road, Suite C-15
Orlando, Florida 32881
Attention: Susan Gaudios
(407) 425-5700
Fax: (407) 425-0707

As agreed upon by the BCT, the collection of rinsate and trip blanks has been eliminated at NAS Cecil Field. In addition, field blanks will not be collected during this sampling program because there will be minimal decontamination of sampling equipment. In accordance with these changes, the following table summarizes the frequency and type of field Quality Assurance/Quality Control (QA/QC) samples to be collected for this sampling program.

Type of Samples	Frequency	Samples to be Collected
Field Duplicate	1/10 sample/matrix	1
Lab MS/MSD	1/20 samples/matrix	1 ⁽¹⁾


(1) MS/MSD is a Laboratory QA/QC requirement; separate sample not required, only additional volume.

As agreed upon by the BCT, formal data validation has been eliminated from the installation restoration program at NAS Cecil Field. However, the analytical data packages generated by the analytical laboratory will be reviewed by Tetra Tech NUS personnel to eliminate false positives and false negative results.

Table 1
Phase VI Sampling and Analysis
PSC 21, Golf Course Pesticide Mixing Area

Sample ID	Location	Analysis	
		Arsenic	Pesticides
CEF-P21-SS-401-01	15 feet west of CEF-P21-SS-305-01 (0 - 1')	X	
CEF-P21-SU-402-03	At CEF-P21-SS-004-01 and SS-316-02 location (2 - 3')		X
CEF-P21-SU-403-03	At CEF-P21-SS-006-01 and SS-317-02 location (2 - 3')	X	
CEF-P21-SU-404-03	At 90S031 location, at the southwest corner of Building 238 (2 - 3')	X	

10-18-99



LEGEND

- ⊕ Existing Soil Sample Locations
- New Surface Soil Sample Locations (0 to 1 ft.)
- New Subsurface Soil Sample Locations (1 to 2 ft.)
- Buildings

DRAWN BY MJJ	DATE 04/08/99
CHECKED BY	DATE
COST/SCHEDULE-AREA	
SCALE AS NOTED	



PHASE
PROPOSED SOIL SAMPLE LOCATIONS
 PSC 21, GOLF COURSE PESTICIDE MIXING AREA
 NAVAL AIR STATION CECIL FIELD
 JACKSONVILLE, FLORIDA

CONTRACT NUMBER 0039	
APPROVED BY	DATE
APPROVED BY	DATE
DRAWING NO. Figure A	REV 0

PAGISICECILPSC21.APR 10June99 MJJ Layout PSC 21 Samples Phase 2

01182B01Z