

N60200.AR.002644
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CONCURRENCE WITH NO FURTHER ACTION RECOMMENDATION FOR FACILITY 818
OIL-WATER SEPARATOR 818-OW NAS CECIL FIELD FL
8/31/2000
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

August 31, 2000

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Commanding Officer
Mr. Mark Davidson, Code 1879
SOUTHNAVFACENGCOM
Post Office Box 190010
North Charleston, SC 29419-9010.

RE: Sampling and Analysis Report, Facility 818, Oil-Water
Separator 818-OW, Naval Air Station Cecil Field, Florida.

Dear Mr. Davidson:

I have completed the technical review of the Sampling and Analysis Report, dated August 2000 (received August 10, 2000) submitted for the above-referenced building. Based on the results of the arsenic-contaminated soil excavation, FDEP concurs with the recommendation of no further action.

FDEP's concurrence is predicated on the information provided by the SOUTHNAVFACENGCOM. Therefore, any new information contradicting the basis for this concurrence, may require further investigation or remedial actions.


If you have any concerns regarding this letter, please contact me at (850) 921-9991.

Sincerely,

Michael J. Deliz, P.G.
Remedial Project Manager

31-Aug-00

Date



CC: Satish Kastury, FDEP

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Mr. Mark Davidson

Page Two

August 31, 2000

Debbie Vaughn-Wright, USEP, Atlanta
John Flowe, City of Jacksonville
Scott Glass, SOUTHNAVFACENGCOM
Mark Speranza, TtNUS, Pittsburgh
Mike Fitzsimmons, FDEP, Northeast District

TJB B JJC JJC ESN ESN