

N60200.AR.003139  
NAS CECIL FIELD, FL  
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
COMMENTS ON SOURCE REMOVAL REPORT FOR POTENTIAL SOURCE OF  
CONTAMINATION 25 NAS CECIL FIELD FL  
11/14/2001  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

November 14, 2001  
OFFICIAL CORRESPONDENCE

Commanding Officer  
attn: Mr. Mark Davidson, Code ES339  
Southern Division  
Naval Facilities Engineering Command  
Post Office Box 190010  
North Charleston, SC 29419-9010

Dear Mr. Davidson:

I have completed my review of the Source Removal Report, Excavation of Benzo(a)pyrene, Pesticide and PCB Contaminated Soil at Potential Source of Contamination 25, Former Transformer Storage Yard (Buildings 101 and 247), Naval Air Station Cecil Field, dated August 2001 (received August 31, 2001), prepared and submitted by CH2M Hill Constructors, Inc. I have a couple of comments that should be addressed before the report can be approved as final:

- (1) PSC 25 has been renamed Site 25 due to groundwater contamination detected at the site. It should be made clear somewhere in the report that PSC 25 was the former designation for Site 25. This should prevent any confusion that PSC 25 and Site 25 are separate sites.
- (2) Please submit the Waste Characterization for Soil (PEL #2101310), the Waste Characterization for Oily Groundwater Removed from Excavation (Kemron #L0106236, AAB #WG99245) and the Confirmatory Sample Analytical Reports (Kemron #WG97978, Kemron #WG98011).
- (3) Please submit a signed Certificate of Completion page.

This electronic message is being sent in lieu of regular mail. If you have any questions concerning this review, please contact me at (850)921-9991.

Sincerely,

David P. Grabka  
Remedial Project Manager  
MS4535  
Florida Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400  
Office: 850.488.3935  
Direct: 850.921.9991  
FAX: 850.922.4939  
david.grabka@dep.state.fl.us