

N60200.AR.004335
NAS CECIL FIELD, FL
5090.3a

"LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
APPROVAL OF SUPPLEMENTAL SITE ASSESSMENT LETTER REPORT FOR BUILDING 81
TANKS 81 A, B AND C NAS CECIL FIELD FL"

12/2/2005

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

JED BUSH
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

December 2, 2005

Commanding Officer
Attn: Mr. Mark Davidson
Code ES33
Southern Division
Naval Facilities Engineering Command
P.O. Box 190010
North Charleston, South Carolina 29419-9010


RE: Supplemental Site Assessment Letter Report, Building 81,
Tanks 81 A,B and C, Naval Air Station Cecil Field,
Jacksonville, Florida

Dear Mr. Davidson:

I have completed my review of the Supplemental Site Assessment Letter Report, Building 81, Tanks 81 A,B and C, Naval Air Station Cecil Field, dated August 3, 2005 (received August 5, 2005), prepared and submitted by Tetra Tech NUS, Inc. The report is acceptable and approved. I also concur with the recommendations made in the report that additional monitoring wells be installed to delineate the shallow and intermediate depths of the surficial aquifer.

If I can be of any further assistance with this matter, please contact me at (850) 245-8997.

Sincerely,



David P. Grabka, P.G.
Remedial Project Manager

cc: Mike Fitzsimmons, FDEP Northeast District
Mark Speranza, Tetra Tech NUS, Pittsburgh
Alan Pace, Tetra Tech NUS, Jacksonville
Doyle Brittain, EPA Region 4
Mike Halil, CH2M Hill, Jacksonville

JJC



ESN



"More Protection, Less Process."

Printed on recycled paper.