N60200.AR.002712
NAS CECIL FIELD, FL
5090.3a

"LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION CONCURRENCE WITH NO FURTHER ACTION RECOMMENDATION FOR BUILDING 222LS TANKS G1826A, B AND C NAS CECIL FIELD FL"
10/20/2000
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

October 20, 2000

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Commanding Officer
Mr. Nick Ugolini, Code 1843
SOUTHNAVFACENGCOM
Post Office Box 190010
North Charleston, SC 29419-0068

RE: Confirmation Sampling Report, Building 222LS, Tanks G1826 A, B & C, Naval Air Station Cecil Field, Florida.

Dear Mr. Ugolini:

I have completed the technical review of the Confirmation Sampling Report for Tanks G1826 A, B & C, dated September 2000 (received October 4, 2000), prepared and submitted by Tetra Tech NUS. The work described in the report was adequately performed in accordance with the *Sampling and Analysis Plan for Site Assessment and Confirmatory Sampling at Various UST and AST Sites* (Tetra Tech, March 2000). FDEP concurs with the recommendation of no further action.

FDEP's concurrence is predicated on the information provided by the SOUTHNAVFACENGCOM. Therefore, any new information contradicting the basis for this concurrence may require further investigation or remedial actions.

If you have any concerns regarding this letter, please contact me at (850) 488-3693.

Sincerely,

David P. Grabka
Remedial Project Manager

cc: Brian Cheary, FDEP Northeast District
Debbie Vaughn-Wright, USEPA - Atlanta
John Flowe, City of Jacksonville
Scott Glass, SOUTHNAVFACENGCOM
Joe Logan, TtNUS, Pittsburgh

TJB JJC for ESN