

N60200.AR.002571
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CONCURRENCE WITH RECOMMENDATION FOR NO FURTHER ACTION AT BUILDING 647
NAS CECIL FIELD FL
7/28/2000
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

July 28, 2000

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Commanding Officer
Mr. Mark Davidson, Code 1879
SOUTHNAVFACENGCOM
Post Office Box 190010
North Charleston, SC 29419-9010

RE: Sampling and Analysis Report for Building 647,
Naval Air Station Cecil Field, Florida.

Dear Mr. Davidson:

I have completed the technical review of the Sampling and Analysis Report, dated July 2000 (received July 28, 2000) submitted for the above-referenced building. Based on the results of the arsenic-contaminated soil excavation, FDEP concurs with the recommendation of no further action.

FDEP's concurrence is predicated on the information provided by the SOUTHNAVFACENGCOM. Therefore, any new information contradicting the basis for this concurrence, may require further investigation or remedial actions.


If you have any concerns regarding this letter, please contact me at (850) 921-9991.

Sincerely,

Michael J. Deliz, P.G.
Remedial Project Manager

28-JUL-00

Date



CC: Satish Kastury, FDEP

"Protect, Conserve and Manage Florida's Environment and Natural Resources"