

N60200.AR.001997
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CONCURRENCE WITH RECOMMENDATION FOR SOURCE REMOVAL AT BUILDING 824
OIL-WATER SEPARATOR 824-OW NAS CECIL FIELD FL
7/9/1999
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

July 9, 1999

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Commanding Officer
Mr. Bryan Kizer, Code 1842
SOUTHNAVFACENGCOM
Post Office Box 190010
North Charleston, SC 29419-0068

RE: Confirmation Sampling Report, Building 824, Oil Water Separator 824-OW, Naval Air Station Cecil Field, Florida.


Dear Mr. Kizer:

I have completed the technical review of the Confirmation Sampling Report, dated April 1999 (received April 28, 1999) submitted for the above-referenced building. FDEP concurs with the recommendation that a Source Removal is warranted under Chapters 62-770, Florida Administrative Code.

If you have any concerns regarding this letter, please contact me at (850) 921-9991.

Sincerely,

Michael J. Deliz, P.G.
Remedial Project Manager



9-JULY-99

Date

CC: Debbie Vaughn-Wright, USEPA - Atlanta
John Flowe, City of Jacksonville
Scott Glass, SOUTHNAVFACENGCOM
Dave Kruzicki, NAS Cecil Field
Eric Blomberg, HLA

JJC
TJB JJC JJC ESN ESN
by
ESN

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.