

N60200.AR.002704  
NAS CECIL FIELD, FL  
5090.3a

LETTER OF TRANSMITTAL FOR REVISED PAGES FOR FEASIBILITY STUDY AT  
OPERABLE UNIT 9 (OU 9) SITE 36 AND SITE 37 NAS CECIL FIELD FL  
10/13/2000  
TETRA TECH NUS INC



**TETRA TECH NUS, INC.**

661 Andersen Drive ■ Pittsburgh, Pennsylvania 15220-2745  
(412) 921-7090 ■ FAX (412) 921-4040 ■ www.tetrattech.com

PITT-10-0-044

October 13, 2000

Project 0039

Commanding Officer  
Department of the Navy  
SOUTHNAVFACENGCOM  
Attn: Mr. Mark Davidson  
2155 Eagle Drive  
North Charleston, South Carolina 29406

Reference: CLEAN Contract No. N62467-D-0888  
Contract Task Order 0078

Subject: Submittal of Revised Pages  
Sites 36 and 37 Feasibility Study  
Naval Air Station Cecil Field  
Jacksonville, Florida

Dear Mr. Davidson:

Please find attached one copy of revised pages (identified as **REVISION 3, OCTOBER 2000**) of the Feasibility Study (FS) for Site 36 – Control Tower TCE Plume and Site 37 - Hangars 13 and 14 DCE Plume at Naval Air Station (NAS) Cecil Field in Jacksonville, Florida. These pages reflect the following changes:

- Addition of Risk Assessment Guidance for Superfund (RAGS) to the List of Acronyms and Abbreviation, since the manganese PRG (150 µg/L) is now based upon that guidance.
- Addition of the fourth RAO requested by USEPA: "Restore surficial aquifer quality at Sites 36 and 37 to meet PRGs" to the Executive Summary (page ES-4).
- Modification of the PRGs in-text table in the Executive Summary (page ES-5) and Section 2.0 (pages 2-13 and 2-14) to change the toluene, ethylbenzene, xylenes, and manganese PRGs from 1,000, 700, 10,000, and 74 µg/L to 30, 40, 20, and 150 µg/L, respectively. This reflects the latest agreed-upon figures and applicable regulation. A fourth footnote was also added to that table to explain the basis of new PRG for manganese (i.e., twice the background concentration, as per USEPA's RAGS).
- Addition of the USEPA's RAGS (USEPA, 1995) to the Reference List (page R-3).

Copies of the attached revised pages have been sent to the members of the NAS Cecil Field Partnering Team as noted below.

If you have any questions, please call me at (412) 921-8916 or Rob Simcik at (412) 921-8163.

Sincerely,

Mark Speranza, P.E.  
Task Order Manager  
MPS/kf

Mr. Mark Davidson  
PIT-10-0-044  
October 13, 2000 – Page 2 of 2

Enclosures

cc: S. Glass, SOUTHDIV (1 copy)  
D. Vaughn-Wright, U.S. EPA (2 copies)  
M. Deliz, FDEP (2 copies)  
J. Flowe, City of Jacksonville (1 copy)  
S. Ross, CH<sub>2</sub>M Hill (1 copy)  
D. Wroblewski, Tetra Tech NUS (cover letter only)  
M. Perry, Tetra Tech NUS File (1 copy)