

N60200.AR.004694
NAS CECIL FIELD, FL
5090.3a

EMAIL REGARDING U S EPA REGION IV APPROVAL OF DRAFT FEASIBILITY STUDY FOR
OPERABLE UNIT 9 (OU 9) SITE 59 NAS CECIL FIELD FL
1/4/2007
U S EPA REGION IV

Simcik, Robert -- NUS

From: Brittain.Doyle@epamail.epa.gov
Sent: Thursday, January 04, 2007 9:23 AM
To: Simcik, Robert -- NUS
Subject: RE: FW: Site 59 Pilot Test Results and Review of Draft FS
Attachments: OU 9, Site 59 FS, 01-03-07.doc

The FS is fine as is. Do not change it.

Thanks
Doyle T Brittain, Sr
Senior Remedial Project Manager
US Environmental Protection Agency, Region IV
Waste Management Division, FFB
61 Forsyth Street, SW
Atlanta, GA 30303
Atlanta Office Phone (404) 562-8549
Mobile (706) 202-4541
Atlanta Fax (404) 562-8518
Email: <brittain.doyle@epa.gov>

Athens Office Phone (706) 355-8710
Athens Fax (706) 355-8744

-----"Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com> wrote: -----

To: Doyle Brittain/R4/USEPA/US@EPA
From: "Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com>
Date: 01/04/2007 09:17AM
Subject: RE: FW: Site 59 Pilot Test Results and Review of Draft FS

Forgotten. I will delete the e-mail with the comment (attached). Can you send a new one saying FS OK as written, same date as attached is fine. Thanks Rob.

From: Brittain.Doyle@epamail.epa.gov [<mailto:Brittain.Doyle@epamail.epa.gov>]
Sent: Thursday, January 04, 2007 9:13 AM
To: Simcik, Robert -- NUS
Subject: RE: FW: Site 59 Pilot Test Results and Review of Draft FS

Forget I raised the issue.

Thanks

Doyle T Brittain, Sr
Senior Remedial Project Manager
US Environmental Protection Agency, Region IV
Waste Management Division, FFB
61 Forsyth Street, SW
Atlanta, GA 30303
Atlanta Office Phone (404) 562-8549
Mobile (706) 202-4541
Atlanta Fax (404) 562-8518
Email: <brittain.doyle@epa.gov>

Athens Office Phone (706) 355-8710
Athens Fax (706) 355-8744

-----"Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com> wrote: -----

To: "Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com>, Doyle Brittain/R4/USEPA/US@EPA
From: "Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com>
Date: 01/03/2007 07:05PM
Subject: RE: FW: Site 59 Pilot Test Results and Review of Draft FS

Doyle, I did not hear back from Mark D and would think best if didn't send that comment letter on Site 59 FS until we do. Rob.

Simcik, Robert -- NUS
Sent: Wednesday, January 03, 2007 11:21 AM
To: 'Brittain.Doyle@epamail.epa.gov'
Subject: RE: FW: Site 59 Pilot Test Results and Review of Draft FS

I will let you know what he says. Rob

Brittain.Doyle@epamail.epa.gov [mailto:Brittain.Doyle@epamail.epa.gov]
Sent: Wednesday, January 03, 2007 11:09 AM
To: Simcik, Robert -- NUS
Subject: RE: FW: Site 59 Pilot Test Results and Review of Draft FS

I don't feel real strong about it. Aske Mark D how he would like to proceed. I can go either way. It's no big deal. Whatever Mark D says is fine with me.

1/19/2007

Thanks

Doyle T Brittain, Sr
Senior Remedial Project Manager
US Environmental Protection Agency, Region IV
Waste Management Division, FFB
61 Forsyth Street, SW
Atlanta, GA 30303
Atlanta Office Phone (404) 562-8549
Mobile (706) 202-4541
Atlanta Fax (404) 562-8518
Email: <brittain.doyle@epa.gov>

Athens Office Phone (706) 355-8710
Athens Fax (706) 355-8744

-----"Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com> wrote: -----

To: Doyle Brittain/R4/USEPA/US@EPA
From: "Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com>
Date: 01/03/2007 10:13AM
Subject: RE: FW: Site 59 Pilot Test Results and Review of Draft FS

Doyle, I have a question (concern) regarding your comment letter on the Site 59 FS you just sent. Not sure if we want to put the Navy's preferences in the FS as it might be perceived by others as attempt to persuade the public in this document. The Proposed Plan identifies the preferred alternative and we will be picking that next week at the BCT meeting (navy will be proposing we select bio stim and bio aug for hot spots and MNA for the plumes). Can we discuss this? Rob 412-921-8163

Brittain.Doyle@epamail.epa.gov [<mailto:Brittain.Doyle@epamail.epa.gov>]
Sent: Wednesday, January 03, 2007 8:41 AM
To: Simcik, Robert -- NUS; mark.e.davidson@navy.mil
Cc: Ball.Stephen@epamail.epa.gov; ball.stephen@epa.gov; Michael.Halil@CH2M.com; Jonnet, Mark -- NUS; Miller, Ralinda -- NUS; Simcik, Robert -- NUS; David.Grabka@dep.state.fl.us
Subject: Re: FW: Site 59 Pilot Test Results and Review of Draft FS

Rob

I believe you have all of my comments on the Pilot test. If not, please let me know.

Actually, I thought you had my comments on the subject document as well as all others and that I had no outstanding documents before I had surgery in November. Please note that I am not going to deliberately ignore any document needing EPA review and comment or approval. Should I fail to submit comments or approval in a timely

1/19/2007

manner, please call this to my attention because I will have obviously dropped the ball somewhere, and that would give me the opportunity to meet your needs in a more timely manner.

EPA comments and approval on the subject document are attached. A paper copy follows in US Mail.

Thanks

Doyle T Brittain, Sr
Senior Remedial Project Manager
US Environmental Protection Agency, Region IV
Waste Management Division, FFB
61 Forsyth Street, SW
Atlanta, GA 30303
Atlanta Office Phone (404) 562-8549
Mobile (706) 202-4541
Atlanta Fax (404) 562-8518
Email: <brittain.doyle@epa.gov>

Athens Office Phone (706) 355-8710
Athens Fax (706) 355-8744

-----"Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com> wrote: -----

To: Doyle Brittain/R4/USEPA/US@EPA, Doyle Brittain/R4/USEPA/US@EPA, Stephen Ball/R4/USEPA/US@EPA
From: "Simcik, Robert -- NUS" <Robert.Simcik@ttnus.com>
Date: 01/02/2007 08:18AM
Subject: FW: Site 59 Pilot Test Results and Review of Draft FS

Steve and Doyle, I received FDEP ? s engineer?s comments saying the FS is OK to submit as final (for ISB at hot spot and MNA for plumes) and we have it pretty close to submitting. Does EPA have any comments on the Site 59 OU9 FS submitted 4/13/06 ?

Rob.

From: Simcik, Robert -- NUS
Sent: Friday, December 01, 2006 9:14 AM
To: 'Davidson, Mark E CIV NAVFAC SE'; 'Grabka, David' ; 'Brittain.Doyle@epamail.epa.gov'; 'Ball.Stephen@epamail.epa.gov'; 1 Michael Halil (mhalil@ch2m.com)

Preliminary

<<Figure1_20061130.pdf>> <<Event 5 post DHC injection analytical results.pdf>>
<<field data summary sheet #3 revised 113006.xls>>

Robert F. Simcik, PE

Environmental Engineer,

Civil Engineering Department,

TETRA TECH NUS, Inc.

661 Andersen Drive

Pittsburgh, PA15220

Telephone: (412) 921-8163

FAX: (412) 921-4040

Simcikr@ttnus.com

http://www.ttnus.com

http://www.tetrattech.com

NOTICE OF CONFIDENTIALITY

1/19/2007

This e-mail message and its attachments (if any) are intended solely for the use of the addressees hereof. In addition, this message and the attachments (if any) may contain information that is confidential, privileged and exempt from disclosure under applicable law. If you are not the intended recipient of this message, you are prohibited from reading, disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Delivery of this message to any person other than the intended recipient is not intended to waive any right or privilege. If you have received this message in error, please promptly notify the sender by reply e-mail and immediately delete this message from your system.