

N60200.AR.003227
NAS CECIL FIELD, FL
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
APPROVAL OF SECOND QUARTER FIRST YEAR GROUNDWATER MONITORING REPORT
FOR NORTH SOUTH APRON PLUME NAS CECIL FIELD FL
2/19/2002
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

February 19, 2002
OFFICIAL CORRESPONDENCE

Commanding Officer
attn: Mr. Wayne Hansel, Code ES245
Southern Division
Naval Facilities Engineering Command
Post Office Box 190010
North Charleston, SC 29419-9010

Dear Mr. Hansel,

I have reviewed the Groundwater Monitoring Report, 2nd Quarter, 1st Year, North-South Apron Plume, Naval Air Station Cecil Field, dated January 2, 2002 (received January 3, 2002), prepared and submitted by Tetra Tech NUS, Inc. The report is adequate for its intent. I concur with the consultant's recommendation to continue monitoring the site in accordance with the March 16, 2001, Natural Attenuation Monitoring Plan Approval Order.

This electronic message is being sent in lieu of regular mail. If you have any questions concerning this review, please contact me at (850)921-9991.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager
MS4535
Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400
Office: 850.488.3935
Direct: 850.921.9991
FAX: 850.922.4939
david.grabka@dep.state.fl.us