

N61165.AR.004396  
CNC CHARLESTON  
5090.3a

CORRECTIVE ACTION PLAN FOR HOBSON FUEL FARM ZONE G AREAS 9 THROUGH 10  
WITH TRANSMITTAL CNC CHARLESTON SC  
4/20/2001  
J A JONES ENVIRONMENTAL SERVICES

**CORRECTIVE ACTION PLAN  
FOR  
HOBSON FUEL FARM  
ZONE G/ AREAS 9-10**

Site Identification No: 01184

Charleston Naval Complex  
Charleston, South Carolina

**SOUTHERN DIVISION  
NAVAL FACILITIES ENGINEERING COMMAND**

Contract Number N62467-99-C-0960

April 2001



# JA Jones Environmental Services

## TRANSMITTAL FORM

<b>Project:</b>	Charleston Naval Shipyard				
<b>DO Title:</b>	Delivery Order '022		<b>DO Project Location:</b>	Charleston Naval Complex	
<b>Date:</b>	20-Apr-01	<b>To:</b> Michael Bishop SCDHEC 2600 Bull Street Columbia, SC 29201-1708 803-898-4339	<b>From:</b> Brian R. Crawford  J.A. Jones Environmental Services 1849 Avenue F North Charleston, South Carolina 29405 (843) 740-2780		
<b>Contract Number :</b>					
<b>Delivery Order Number</b>					
022					
<b>File Number</b>					
0					
<b>JAJ Subcontract Number</b>	na	<b>Subcontractor/Supplier/Manufacturer:</b>	<b>Transmitted for:</b>	Approval/Comment	
<b>JAJ P.O. Number</b>	na			Final document	
<b>Change Order Number</b>	na			Information	X
				As requested	X
<b>Transmittal Number</b>	001-C022			Fabrication	
		Field Use			
		Other			
<b>Specification Section Number or Drawing</b>	<b>Qty</b>	<b>Description of Submittal</b>	<b>Date</b>	<b>Comments</b>	<b>Number of Copies</b>
	1	CAP Areas 2-6 FDS	04/20/01		1
	1	CAP Area 8 FDS	04/20/01		1
	1	CAP Area 9-10	04/20/01		
	1	SOW for 2513-A	04/20/01		
<b>SENT</b>	<b>GENERAL COMMENTS</b>				
Enclosed	X	Original			
Separate					
Fed Ex	X				
Mail					
Other					
Other					
<b>CC:</b>	Project File	Dean Williamson	<b>Signed:</b>		
	Gary Foster				
	Gabe Magwood		Brian R. Crawford, Engineer II		
	Tony Hunt				

**CORRECTIVE ACTION PLAN  
FOR  
HOBSON FUEL FARM  
ZONE G/ AREAS 9-10**

**Charleston Naval Complex  
Charleston, South Carolina**

**Submitted to:  
Southern Division  
Naval Facilities Engineering Command  
2155 Eagle Drive  
Charleston, South Carolina 29406**


**Submitted by:  
CH2M-JONES, LLC.  
115 Perimeter Center Place NE  
Suite 700  
Atlanta, Georgia 30346-1278**




**Contract Number: N62467-99-C-0960**

**April 2001**

**Prepared by:**

  
**Brian R. Crawford  
Engineer II  
CH2M-Jones, LLC**

**Approved by:**

  
**Jed A. Heames  
Site Superintendent  
CH2M-Jones, LLC**

# TABLE OF CONTENTS

<b>Section</b>	<b>Page</b>
<b>ACRONYMS.....</b>	<b>iii</b>
<b>1.0 INTRODUCTION.....</b>	<b>1-1</b>
1.1 GENRAL SITE DESCRIPTION.....	1-1
1.2 OBJECTIVE.....	1-1
<b>2.0 MONITORING WELL INSTALLATON AND ABANDONMENT.....</b>	<b>2-1</b>
2-1 MONITORING WELL INSTALLATION .....	2-1
2-2 MONITORING WELL ABANDONMENT .....	2-1
2-3 SURVEYING.....	2-1
2-4 EQUIPMENT DECONTAMINATION.....	2-1
<b>3.0 PROPOSED SAMPLING AND ANALYSIS PLAN .....</b>	<b>3-1</b>
<b>4.0 GROUNDWATER SAMPLING .....</b>	<b>4-1</b>
4.1 ANALYTICAL PARAMETERS .....	4-1
4.2 FIELD MEASUREMENTS .....	4-1
4.3 GROUNDWATER LEVEL MEASUREMENTS.....	4-1
4.4 SAMPLE HANDELING .....	4-1
4.5 SAMPLE PACKING AND SHIPPING .....	4-2
4.6 QUALITY CONTROL .....	4-2
4.7 FIELD QA/QC .....	4-3
4.8 CONTROL LIMITS .....	4-3
4.9 RECORD KEEPING .....	4-3
4.10 SITE MANAGEMENT AND BASE SUPPORT .....	4-3
<b>5.0 REFERENCES.....</b>	<b>R-1</b>
<b>6.0 ATTACHMENTS.....</b>	<b>A-1</b>
<b>7.0</b>	<b>FIGURES</b>
FIG 1.....	SITE LOCATION MAPS
FIG 2.....	SITE VICINITY MAP
FIG 3.....	FDS (Areas 9-10) LOCATION MAP

## ACRONYMS

bls	below land surface
CAP	Corrective Action Plan
CAR	Contamination Assessment Report
CNC	Charleston Naval Complex
COC	Chemical of Concern
EISOPQAM	Environmental Investigations Standard Operating Procedures and Quality Assurance Manual
EPA	Environmental Protection Agency
FDS	Fuel Distribution System
mg/kg	microgram per kilogram
mg/L	microgram per liter
OVA	Organic Vapor Analyzer
QA	Quality Assurance
QC	Quality Control
RBSL	Risk-Based Screening Level
RDA	Redevelopment Authority
SCDHEC	South Carolina Department of Health and Environmental Control
SOUTHDIV	Southern Division Naval Facilities Engineering Command
SSTL	Site-Specific Target Level
TTNUS	Tetra Tech NUS
UST	Underground Storage Tank

## 1.0 INTRODUCTION

This Corrective Action Plan (CAP) has been prepared by CH2M-JONES, LLC. The plan is designed for Zone G/ Areas 9-10 of the Hobson Fuel Farm; located at the Charleston Naval Complex (CNC), Charleston, South Carolina.

This CAP provides methods to sample the site for the contaminants of concern addressed in the Ensafe document *Zone G; Contamination Assessment Report. October 1, 1999*. Contaminates include naphthalene in soils in areas 9-10. The reported concentrations were below the RBC (Risk-Based Concentrations for Residential Soils, EPA Region III Risk Based Concentrations Table, 12 April 1999); however, they exceeded the RBSL (Risk-Based Screening Levels). The SCDHEC letter dated 18 November 1999 (Attachment A) concurs with the recommendation of the Final Assessment Report to monitor the groundwater in Areas 9-10.

### 1.1 General Site Description

The CNC is located in the city of North Charleston, on the west bank of the Cooper River in Charleston County, South Carolina as shown in Figure 1. This installation consists of two major areas: an undeveloped dredge materials area on the east bank of the Cooper River on Daniel Island in Berkley County, and a developed area on the west bank of the Cooper River. The developed portion of the base is on the peninsula bounded on the west by the Ashley River and on the east by the Cooper River. The site is located within the developed portion of the base as shown in Figure 1.

The area surrounding CNC is “mature urban”, having long been developed with commercial, industrial, and residential land use. Commercial areas are primarily west of CNC; industrial areas are primarily to the north of the base along Shipyard Creek. A site vicinity map, which exhibits adjacent properties and structures, vicinity roads, current utilities, and vicinity surface drainage, is included as Figure 2.

### 1.2 Objective

This CAP presents a plan to monitor the groundwater from existing monitoring wells for up to a period of six months. If after two rounds of quarterly sampling analytical data shows that there are no contamination in the areas above the RBSLs; CH2M-Jones, LLC may request to the department a No Further Action. If groundwater analytical results indicate that levels of contaminants are above the RBSLs, active remediation may be recommended.

## **2.0 MONITORING WELL INSTALLATION AND ABANDONMENT**

### **2.1 Monitoring Well Installation**

No monitoring wells will be installed as a part of this sampling plan.

### **2.2 Monitoring Well Abandonment**

No monitoring wells will be abandoned at this time. The monitoring wells will only be abandoned upon receiving approval for no further action. All monitoring wells will be abandoned following the South Carolina Well Standards and Regulations R.61-71. The well abandonment will include grouting wells, removing stick-ups and removing all guard posts. Any well casing and screen removed will be decontaminated and disposed of as general refuse.

### **2.3 Surveying**

All existing monitoring wells have been surveyed.

### **2.4 Equipment Decontamination**

All drilling equipment, augers, well casing and screens, and soil and groundwater sampling equipment involved in field sampling activities will be decontaminated according to the Environmental Protection Agencies (EPA) “ Environmental Investigations Standard Operating Procedures and Quality Assurance Manual (EISOPQAM).

### 3.0 PROPOSED SAMPLING AND ANALYSIS PLAN

CH2M-Jones, LLC recommends that monitoring wells FDS09A, FDS09B, and FDS09C be monitored for a period of six months on a quarterly basis. The wells will be sampled for naphthalene (method 8260) along with the intrinsics (Nitrate, Sulfate, Total Iron, Dissolved Iron, Alkalinity and pH). Figure 3 shows a map of the monitoring wells to be sampled. If after two rounds of quarterly sampling analytical results indicate that there are no PAHs or VOCs above the RBSLs, CH2M-Jones, LLC may ask for No Further Action.

The following Table summarizes the sampling schedule for Area 8 of the FDS.

<b>Quarter</b>	<b>Monitoring Wells</b>	<b>Analytical Sampled</b>
First	FDS09A, FDS09B, FDS09C.	BTEX/ Naphthalene (method 8260), Nitrate, Sulfate, Total Iron, Dissolved Iron, Alkalinity. and pH.
Second	FDS09A, FDS09B, FDS09C.	BTEX/ Naphthalene (method 8260), *Nitrate, Sulfate, Total Iron, Dissolved Iron, Alkalinity. and pH.

**\* Intinsics may not be sampled.**

## **4.0 GROUNDWATER SAMPLING**

The proposed groundwater sampling includes monitoring of three wells for over a period of six months.

Prior to any groundwater sampling, each well will be measured for water levels and total depth and each well will be purged in accordance the EPA EISOPQAM.

### **4.1 Analytical Parameters**

The following constituents will be analyzed for each monitoring well.

- BTEX and Naphthalene using method 8260.

The following parameters may be analyzed in order to evaluate the effectiveness of intrinsic remediation for groundwater:

pH, Nitrate/Sulfate, Dissolved Iron, Total Iron, and Alkalinity

### **4.2 Field Measurements**

The following parameters will be sampled in the field for groundwater:

Dissolved Oxygen, pH, Turbidity, Conductivity, Temperature and Oxygen Reduction Potential

### **4.3 Groundwater Level Measurements**

Depth to product (if any), Depth to water, and Total depth of well.

### **4.4 Sample Handling**

Sample handling will be conducted in accordance the following references:

EPA EISOPQAM (EPA May, 1996)

Comprehensive Sampling and Analysis Plan, RCRA Facility Investigation, June 30, 1996.

## 4.5 Sample Packing and Shipping

The following forms will be completed to complete the packing/shipping process:

- Sample labels
- Chain-of-custody labels
- Appropriate labels applied to shipping coolers
- Chain-of-custody forms
- Federal express air bill

## 4.6 Quality Control

Quality Control (QC) samples will be collected during sampling events. QC samples may include field blanks, field duplicates, and trip blanks. Definitions of each can be found below as described by the EISOPQAM:

- **Field Blank:** a sample collected using organic-free water, which has been run over/through sample collection equipment. These samples are used to determine if contaminants have been introduced by contact of the sample medium with sampling equipment. Equipment field blanks are often associated with collecting rinse blanks of equipment that has been field cleaned.
- **Field Duplicates:** Two or more samples collected from a common source. The purpose of a duplicate sample is to estimate the variability of a given characteristic or contamination associated with a population.
- **Trip Blank:** A sample, which is prepared prior to the sampling event in the actual container and is stored with the investigative samples throughout the sampling event. They are often packaged for shipment with the other samples and submitted for analysis. At no time after their preparation are trip blanks to be opened before they reach the laboratory. Trip blanks are used to determine if samples were contaminated during storage and/or transportation back to the laboratory (a measure of sample handling variability resulting in positive bias in contaminant concentration). If samples are to be shipped, trip blanks are to be provided with each shipment but not for each cooler.

#### 4.7 Field QA/QC

More information on field QC can be found in section 5.6.

#### 4.8 Control Limits

<b>Analysis</b>	<b>Control Parameter</b>	<b>Control Limit</b>	<b>Corrective Action</b>
Air Monitoring	Check Calibration of OVA daily	Calibrate to manufactures specifications	Recalibrate. If unable to calibrate, replace.
pH of water	Continuing calibration check of pH 7.0 buffer	pH= 7.0	Recalibrate. If unable to calibrate, replace electrode.
Specific Conductance of water	Continuing calibration check of standard solution	> 1% of standard	Recalibrate.

#### 4.9 Record keeping

In addition to records kept in logbooks, forms will be kept on log sheets for soil and groundwater.

#### 4.10 Site Management and Base Support

Throughout the investigation activities, work on the CNC will be coordinated through SOUTHDIV and SCDHEC.

The primary contacts for each are as follows:

1. SOUTHDIV point of contact  
Gabe Magwood  
Southern Division Engineering Command  
2155 Eagle Drive  
North Charleston, SC 29406  
(843) 820-7307
2. SOUTHDIV point of contact  
Tony Hunt  
Southern Division Engineering Command  
2155 Eagle Drive  
North Charleston, SC 29406  
(843) 820-7307

3. SCDHEC point of contact  
Michael Bishop  
South Carolina Department of Health and Environmental Control  
2600 Bull Street  
Columbia, SC 29201  
(843) 898-4300

## 5.0 REFERENCES

South Carolina Department of Health and Environmental Control. 1997. Corrective Action Guidance.

Ensafe, Inc.; 1999. Assessment Report for Zone G, Charleston, South Carolina.

United States Environmental Protection Agency. 1990. Code of Federal Regulations 136.

United States Environmental Protection Agency. 1988. EPA Users Guide to Contract Laboratory Program.

United States Environmental Protection Agency. 1996. EPA Environmental Investigations Standard Operating Procedures for Quality Assurance Manual.

## **6.0 ATTACHMENTS**



18 November 1999

2600 Bull Street  
Columbia, SC 29201-1708

COMMISSIONER:  
Douglas E. Bryant

Department of the Navy  
Southern Division NFEC

BOARD:  
John H. Burnss  
Chairman

P.O. Box 190010  
North Charleston, SC 29419-9010

William M. Hull, Jr., MD  
Vice Chairman

Attention: Mr. Gabriel Magwood

Roger Lesks, Jr.  
Secretary

Re: Final Assessment Report dated 1 October 1999  
Zone G/Site 9, 10-Fuel Distribution System (Site Identification # 01184)  
Charleston Naval Complex/Charleston Naval Base  
Charleston, SC  
Charleston County

Mark B. Kent

Cyndi C. Mosteller


Brian K. Smith

Rodney L. Grandy

Dear Mr. Magwood:

The author has completed technical review of the referenced document. As submitted, the report provides a narrative and summary of previous assessment activities conducted to establish the environmental fate of suspected contamination at the subject property. Previous analytical results provided indicate that concentrations of PAH compound(s) (naphthalene) were reported in soil sample FDSSC05801. The reported concentration exceeds the RBSL (Risk-Based Screening Levels, SCDHEC *Risk-Based Corrective Action for Petroleum Releases*, 5 January 1998) and is below proposed RBC (Risk-Based Concentrations for Residential Soils, EPA Region III Risk-Based Concentrations Table, 12 April 1999). Available analytical data and applied interpretations appear to indicate that a reasonable delineation and characterization of the extent and severity of soil contamination have been developed for the FDS Site 9 and 10 area. This information and data were then utilized in evidential discussion(s) for consideration of employing groundwater monitoring in the near term to demonstrate residual soil contamination will not impact groundwater.

With consideration to the above, the author concurs with the proposed groundwater monitoring program. The facility should develop an appropriate SAP (sampling and analysis plan), including proposed sampling schedule. A schedule for development of the requested SAP should be submitted to my attention by 31 December 1999. Should you have any questions please contact me at (803) 898-3559.



DEC 13 1999 14:39 FROM TO 6-8504342288 P.09


Charleston Naval Complex/Charleston Naval Base  
18 November 1999  
page 2

Sincerely,  
*Paul P. Bristol*  
Paul L. Bristol, Hydrogeologist  
Groundwater Quality Section  
Bureau of Water


cc: Trident District EQC

RECEIVED  
DEC 13 1999


## **7.0 FIGURES**



- |                  |               |
|------------------|---------------|
| Fence            | AOC Boundary  |
| Railroads        | SWMU Boundary |
| Roads - Lines    | Buildings     |
| Bridges          | Zone Boundary |
| Surrounding Area |               |
| Shoreline        |               |




**Figure 1**  
 Site Location Map  
 Areas 9-10  
 Charleston Naval Complex



- ∨ DRAIN-LABEL
- ∨ DRAIN-BASIN
- ∨ DRAIN-LINE
- ∨ STORM-OUTFALL-ID
- ∨ STORM-LINE/MANHOLE
- ∨ STORM-LINE/MANHOLE-NS

- ∨ STORM-FLOW-ARROW
- ∨ SEWER-LINE/MANHOLE-NS
- ∨ SEWER-LINE/MANHOLE
- ∨ SEWER-FLOW-ARROW



**Figure 2**  
 Site Vicinity Map  
 Areas 9-10  
 Charleston Naval Complex

