

N61165.AR.004566
CNC CHARLESTON
5090.3a

TRANSMITTAL FOR CORRECTIVE MEASURES STUDY WORK PLAN FOR AREAS OF
CONCERN 517 AND 523 (AOC 517 AND 523) CNC CHARLESTON SC
7/16/2001
NAVFAC SOUTHERN



DEPARTMENT OF THE NAVY

SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
P. O. BOX 180010
2155 EAGLE DRIVE
NORTH CHARLESTON, S.C. 29419-8010

5090/11
Code 18713
16 Jul 2001

Mr. John Litton, P.E.
Director, Division of Hazardous and Infectious Waste Management
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201

Subj: SUBMITTAL OF CORRECTIVE MEASURES STUDY WORK PLAN FOR AREAS
OD CONCERN 517 AND 523


Dear Mr. Litton,

The purpose of this letter is to submit the Corrective Measures Study Work Plan (Revision 0) for Areas of Concern (AOCs) 517 and 523, in Zone C located at the Charleston Naval Complex. The work plan is submitted to fulfill the requirements of condition IV.E.2 of the RCRA Part B permit issued to the Navy by the South Carolina Department of Health and Environmental Control and the U.S. Environmental Protection Agency (EPA).

This document and the proposed rationale for no further action were discussed by the Charleston Naval Complex BRAC Cleanup Team. We request that the Department and the EPA review this document and provide comments or approval whichever is appropriate.

If you should have any questions, please contact Amy Daniels or myself at (843) 743-9985 and (843) 820-5551 respectively.

Sincerely,


ROBERT A. HARRELL, JR., P.E.
Environmental Engineer
Installation Restoration III Branch

Copy to:
SCDHEC (David Scaturo (4))
USEPA (Dann Spariosu)
CSO Naval Base Charleston (Amy Daniels)
CH2M-Hill (Dean Williamson)