

N61165.AR.004584
CNC CHARLESTON
5090.3a

LETTER FROM SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL
CONTROL CONDITIONALLY APPROVING INTERIM MEASURE WORK PLAN DRMO
STORAGE AND LEAD CONTAMINATION AREA SOLID WASTE MANAGEMENT UNIT 2
(SWMU 2) ZONE A CNC CHARLESTON SC

10/20/2001

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



2600 Bull Street
Columbia, SC 29201-1708

October 30, 2001

Ms. Amy Daniell
Caretaker Site Office
Charleston Naval Complex
CSO 1895 Avenue F
North Charleston, SC 29405

RE: Interim Measure Work Plan, DRMO Storage and Lead Contamination Area, SWMU 2, Zone A
Charleston Naval Complex (CNC)
SC0 170 022 560

Dear Ms. Daniell:

The Corrective Action Engineering and the Hydrogeology Sections of the South Carolina Department of Health and Environmental Control (Department) have completed the review of the above referenced document, which was received on October 19, 2001. This review was based upon applicable State and Federal Regulations, and the CNC Hazardous Waste Permit, effective September 17, 1998. The Department has determined that the above referenced document is approved with the attached condition.

Thank you for your cooperation in this matter. If you have any questions or concerns, please contact Jerry Stamps at (803) 896-4285.

Sincerely,

David Scaturo, P.E., P.G., Manager
Corrective Action Engineering Section
Division of Waste Management
Bureau of Land and Waste Management

Attachment

cc: Tony Hunt, PE, SOUTHDIV
Rob Harrell, PE, SOUTHDIV
Dean Williamson, PE, CH2M-Jones
Paul Bergstrand, P.G., Hydrogeologist

Rick Richter, Trident EQC District
Dann Spariosu, PhD, EPA Region 4
Gary Foster, PE, CH2M-Jones