

N61165.AR.005860
CNC CHARLESTON
5090.3a

LETTER REGARDING SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL CONCURRENCE WITH CONCLUSIONS OF CORRECTIVE
ACTION PLAN FOR ZONE G/FUEL DISTRIBUTION SYSTEM AREA 19 CNC CHARLESTON
SC
8/30/2002
SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



30 August 2002

100 Bull Street
Columbia, SC 29201-1708

COMMISSIONER:
Earl Hunter

BOARD:
Madford W. Wyche
Chairman

Mark B. Kent
Vice Chairman

Edward L. Brilliant, MD
Secretary

Earl L. Brazell

Christiana W. Wright

Michael Blackmon

Harry R. Chewning, Jr., DMD

Commander
NAVFACENGCOM Southern Division
Attn: Code ES24 (Gabriel Magwood)
P.O. Box 190010
North Charleston, SC 29419-9010

Re: CNB – Zone G, FDS Area 19
Site Identification # 01189
Third Round Monitoring Report received 29 August 2002
Charleston County

Dear Mr. Magwood:

The Department has completed technical review of the referenced document. Interpretation of the analytical data provided in the referenced report indicates that chemicals of concern remain below established Risk-Based Screening Levels and MCLs. The Department concurs with the conclusions as presented in the report and routine groundwater monitoring and reporting should continue as prescribed in the Corrective Action Plan dated April 2001.

Should you have any questions, please contact me at 803-898-3553 (office phone), 803-898-2893 (fax) or bishopma@dhec.state.sc.us.

Sincerely,

Michael A. Bishop, Hydrogeologist
Groundwater Quality Section
Bureau of Water

cc: Trident District EQC
Jerry Stamps, SCDHEC-BLWM
Brian Crawford, 1849 Ave. F, N. Charleston SC, 29405
Technical File