

N61165.AR.005865  
CNC CHARLESTON  
5090.3a

LETTER REGARDING SOUTH CAROLINA DEPARTMENT OF HEALTH AND  
ENVIRONMENTAL CONTROL APPROVAL OF CORRECTIVE ACTION PLAN FOR ZONE G  
AREA 19 CNC CHARLESTON SC  
4/24/2001  
SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



24 April 2001

2600 Bull Street  
Columbia, SC 29201-1708

COMMISSIONER:  
Douglas E. Bryant

BOARD:  
Bradford W. Wyche  
Chairman

William M. Hull, Jr., MD  
Vice Chairman

Mark B. Kent  
Secretary

Howard L. Brilliant, MD

Brian K. Smith

Rodney L. Grandy

Larry R. Chewning, Jr., DMD

DEPARTMENT OF THE NAVY  
SOUTHERN DIVISION NAVAL FEC  
GABRIEL MAGWOOD  
2155 EAGLE DRIVE  
N. CHARLESTON SC 29406

RE: Zone G, Area 19  
Charleston Naval Complex  
Site Identification # 01189  
Corrective Action Plan received 13 April 2001  
Charleston County

Dear Mr. Magwood:

The Department has completed technical review of the referenced document. As submitted, the Corrective Action Plan (CAP) provides an outline of activities designed to remediate hydrocarbon contamination in soils at this site.

Proposed corrective action activities consist of soil removal and offsite treatment to eliminate the source area. Once contaminated soils have been removed, additional monitoring wells will be installed in order to examine groundwater quality in the vicinity of Area 19. Three wells have been proposed as part of the CAP, the Department reserves the right to require additional wells based on the results of the soil removal activities. A permit to install additional monitoring wells has been included with this correspondence.

The request to initiate corrective action activities as outlined in the reference document is approved for implementation. Please provide the Department with a schedule for implementation of activities at this site. Once excavation activities have been completed, a completion report should be submitted to the Department and groundwater monitoring should commence as described in the CAP.

Should you have any questions please contact me at 803-898-3553 (office phone), 803-898-3795 (fax) or by e-mail [bishopma@columb32.dhec.state.sc.us](mailto:bishopma@columb32.dhec.state.sc.us).

Sincerely,

Michael A. Bishop, Hydrogeologist  
Groundwater Quality Section  
Bureau of Water

Enc: Monitoring Well Approval (#1081)

cc: Trident District EQC (w/enc)  
Mihir Mehta, SCHDEC-BLWM (n/enc)  
Brian Crawford, CNC, 1848 Ave. F, N. Charleston, SC 29405 (w/enc)  
Keith Collinsworth, EQC Admin (n/enc)  
Technical File