

32212-000  
19.01.00.0044



Lawton Chiles  
Governor

# Florida Department of Environmental Protection

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

July 8, 1993

Mr. Barry Hoffman  
Code 18213  
2155 Eagle Drive  
North Charleston, South Carolina 29418

RE: Jacksonville Naval Air Station RCRA Permit No. HF16-152611


Dear Mr. Hoffman:

As discussed on our July 7 1993, telephone conversation, condition number 7 of the above mentioned permit (issued September 20, 1991) should be modified to indicate that all sampling and analysis procedures shall be done in accordance with ESE's CompQAP as opposed to the "Basic Sampling and Analysis Plan". This Class 1 permit modification will improve administrative and routine functions and in no way should alter the Facility's ability to monitor closure activities.

In the interim, and while the permit is modified, all sampling and analysis procedures shall be done in accordance with ESE's CompQAP No. 860054G approved on 3/19/93 and the QAPP submitted on June 14, 1993. Please note, ESE's QAPP will be sent to the Quality Assurance Section of the Department once the permit modification is accepted by the authorized permitting agency.

If I can be of any further assistance with this matter please contact me at 904/488-0190

Sincerely,

  
Jorge R. Caspary, P.G.  
Technical Review Section  
Department of Defense Group

JRC/

cc: Kevin Gartland