



# Florida Department of Environmental Protection

Bob Martinez Center  
2600 Blairstone Road  
Tallahassee, Florida 32399-2400

Charlie Crist  
Governor

Jeff Kottkamp  
Lt. Governor

Michael W. Sole  
Secretary

May 18, 2007

N00207.AR.001306  
NAS JACKSONVILLE FL  
5090.3a

Mr. Anthony Robinson  
Department of the Navy  
Naval Facilities Engineering Command Southeast  
2155 Eagle Drive, PO Box 190010  
North Charleston, South Carolina 29419-9010

Dear Mr. Robinson:

The Department of Environmental Protection has reviewed the Record of Decision for Groundwater at Hanger 1000, Naval Air Station Jacksonville, and concurs with the Navy's selected remedies: Source Reduction with Nanoscale Iron Particles, Monitored Natural Attenuation of Groundwater, Surface Water Monitoring and Land Use Controls to prevent use of, and human exposure to, contaminated groundwater at the site. The letter of concurrence has been signed by Mary Jean Yon, Director, Division of Waste Management, and is attached.

If you have any concerns regarding this letter, please contact me at (850) 245-8997.

Sincerely,

David P. Grabka, P.G.  
Remedial Project Manager

CC: Tim Bahr, FDEP  
Peter Dao, USEPA Region 4, Atlanta  
Bill Raspet, NASJAX, Jacksonville  
Mark Peterson, Tetra Tech, Jacksonville

ESN