

N00207.AR.003425  
NAS JACKSONVILLE  
5090.3a

LETTER REGARDING REGULATORY REVIEW AND CONCURRENCE ON SAMPLING  
ATTACHMENT FOR OPERABLE UNIT 3 (OU 3) NAS JACKSONVILLE FL  
2/10/1999  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



I 0015  
[redacted] - 2567

# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

February 10, 1999

Mr. Dana Gaskins  
Southern Division  
Naval Facilities Engineering Command  
2155 Eagle Dr., P. O. Box 190010  
Charleston, South Carolina 29411


RE: Sampling Attachment for the OU-3 RI/FS. NAS  
Jacksonville, Florida

Dear Mr. Gaskins:

I have completed the review of the referenced sampling proposal dated January 1999 (received January 8, 1999). Based upon previous NAS Jacksonville team discussions, I concur that the proposed supplemental sediment sampling locations and analytical parameters are adequate for completion of the OU-3 Ecological Risk Assessment.

If I can be of any assistance in this matter, please contact me at 904/488-3935.

Sincerely,



Jorge R. Caspary, P.G.

cc: Martha Berry, USEPA-Atlanta  
Diane Lancaster NAS Jacksonville  
Hermann Bauer, Bechtel

TJB B JJC JJC ESN ESN

jx688.doc

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.

u:\index\forms\misc\misc\_0006.dot