

N00207.AR.003600
NAS JACKSONVILLE
5090.3a

LETTER AND FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION COMMENTS
ON DRAFT REMEDIAL INVESTIGATION REPORT POTENTIAL SOURCE OF
CONTAMINATION 45 (PSC45) BUILDING 200 NAS JACKSONVILLE FL
6/4/2013
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



**FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

BOB MARTINEZ CENTER
2600 BLAIRSTONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

RICK SCOTT
GOVERNOR

HERSCHEL T. VINYARD JR.
SECRETARY

June 4, 2013

Ms. Adrienne Wilson
Code OPDE3/AW
Department of the Navy
Naval Facilities Southeast
Attn: Ajax Street, Building 135N
P.O. Box 30A
Jacksonville, FL 32212-0030

RE: Response to Comments on the Draft Remedial Investigation Report, Potential Source of Contamination 45, Building 200, Naval Air Station Jacksonville, Jacksonville, Florida

Dear Ms. Wilson:

The Department has completed its review of the Response to Comments on the Draft Remedial Investigation Report, Potential Source of Contamination 45, Building 200, Naval Air Station Jacksonville, dated May 2, 2013 (received May 6, 2013), prepared and submitted by Tetra Tech, Inc. The Response to Comments were accompanied by a redline/strikeout version of the Draft Remedial Investigation Report which incorporated the Navy's changes as a result of comments provided by the Department and others. The responses to the Department's comments appear reasonable and they seem to have been adequately incorporated into the revised Draft Remedial Investigation Report. The report should now be provided in a Draft Final version pursuant to the Naval Air Station Jacksonville Federal Facilities Agreement.

If you have any questions regarding this letter, please contact me at (850) 245-8935.

Sincerely,

Jennifer R. Conklin
Remedial Project Manager
Federal Programs Section
Bureau of Waste Cleanup

CC: Pete Dao, EPA Region IV, Atlanta
Tim Curtin, NASJAX
Mark Peterson, TtNUS, Jacksonville
Eric Davis, CH2M Hill, Atlanta
Todd Haverkost, Resolutions, Jacksonville
Tim Bahr, FDEP, Tallahassee

KAW