

N00207.AR.003892  
NAS JACKSONVILLE  
5090.3a

LETTER REGARDING U S EPA REGION IV REVIEW AND APPROVAL OF DRAFT  
CONSTRUCTION COMPLETION REPORT FOR OPERABLE UNIT 9 (OU 9) POTENTIAL  
SOURCE OF CONTAMINATION 45 (PSC 45) SOIL EXCAVATION NAS JACKSONVILLE FL  
12/10/2014  
U S EPA REGION IV



**U. S. ENVIRONMENTAL PROTECTION AGENCY  
REGION 4  
61 Forsyth Street, SW  
Atlanta, Georgia 30303**

**Official Correspondence - This electronic message is being sent in lieu of regular mail**

December 10, 2014

4WD-FFB

Ms. Adrienne Wilson  
Code OPDE3/AW  
DEPARTMENT OF THE NAVY  
NAVAL FACILITIES SOUTHEAST  
ATTN: AJAX STREET, BLDG 135N  
P.O. BOX 30A  
JACKSONVILLE, FL 32212-0030

Dear Ms. Wilson:

The U.S. Environmental Protection Agency has reviewed the Draft Construction Completion Report for Operable Unit 9, Potential Source of Contamination 45 Soil Excavation. EPA has no comment and is approving the document as a non-time critical removal action completion report.

If you have any questions regarding this letter, I can be reached at (404) 562-8508 or at [dao.peter@epa.gov](mailto:dao.peter@epa.gov).

Sincerely,

A handwritten signature in red ink, appearing to be "Peter Dao".

Peter Dao  
Remedial Project Manager

cc: Mr. Tim Curtin, NAS Jacksonville  
Ms. Jennifer Conklin, FDEP  
Mr. Mark Peterson, TtNUS  
Mr. Eric Davis, CH2MHill  
Mr. Todd Haverkorst, Resolution