



DEPARTMENT OF THE NAVY
SOUTHERN DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
2155 EAGLE DR., P.O. BOX 190010
NORTH CHARLESTON, S.C. 29419-9010

NAS Jacksonville Administrative Record
Document Index Number

32212-000
19.01.00.0048

PLEASE ADDRESS REPLY TO THE
COMMANDING OFFICER, NOT TO
THE SIGNER OF THIS LETTER.

REFER TO:
5090/13
Code 1853
1 Mar 94

Mr. Eric Nuzie
Federal Facilities Coordinator
Florida Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Dear Mr. Nuzie:

The Navy is producing an Interim Remedial Action (IRA) for Potential Sources of Contamination (PSCs) 41, 42, & 43 as part of its OU#2 RI/FS Work Plan efforts. Activities at these three PSCs are also address by Post Closure Permit HE16-152611 of 20 September 1991.

Permit Part VII, Post Closure Corrective Action, discusses the means by which the Navy shall address residual contamination. The Navy has provided you a Focused Remedial Investigation Feasibility Study Report and a Technical Memo - Performance Requirements for PSCs 41 and 43. From these documents, the Navy shall generate a work plan that meets the performance requirements. This work plan shall be sent to you for review and comment and your concurrence. By providing you these documents in the steps identified and obtaining your concurrence, the Navy believes it shall met the requirements as stated in the Post Closure Permit.

If you have any questions, please call Mr. Joel G. Murphy, Code 1853, at (803) 743-0577.

Sincerely,

JOEL G. MURPHY
Environmental Engineer
Installation Restoration I
Division

Copy to:
NAS Jacksonville (PWD, Code 184IR)
EPA (Mr. James Hudson)