

N00213.AR.000271
NAS KEY WEST
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
APPROVAL OF CORRECTIVE MEASURES STUDIES FOR SOLID WASTE MANAGEMENT
UNITS 1 AND 2 NAS KEY WEST FL
4/7/1998
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Lawton Chiles
Governor

Department of Environmental Protection

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

7046-3.1-047
RECEIVE 0038
4-21-98 IC

663 200

April 7, 1998

Mr. Dudley Patrick, Code 1858
Southern Division
Naval Facilities Engineering Command
2155 Eagle Dr., P. O. Box 190010
Charleston, South Carolina 29411


RE: Corrective Measures Studies for SWMU 1 and 2. Naval
Air Station Key West, Florida

Dear Mr. Patrick:

The Department approves the above referenced reports dated
January 1998 (received March 16, 1998). I am enclosing the
engineering certification of approval signed by Mr. Greg M.
Brown.

If I can be of any assistance in this matter, please contact
me at 904/488-3935.

Sincerely,



Jorge R. Caspary, P.G.

cc: Martha Berry, EPA-Atlanta
Ron Demes, NAS Key West
Chuck Bryan, NUS-Aiken
Roy Hoekstra, Bechtel

TJB  JJC  ESN 

kwcms.doc

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.

u:\index\forms_misc\misc_0006.dot



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

April 3, 1998

CERTIFICATION OF APPROVAL

RE: Corrective Measures Study Report for Solid Waste Management Unit 1 (SWMU 1); Naval Air Station Key West, Boca Chica Key, Florida.

This site consists of a Solid Waste Management Unit undergoing investigation and corrective measures under a federal Resource Conservation and Recovery Act Hazardous and Solid Waste Amendments Permit. The proposed corrective measures are a response to reduce or isolate applicable pollutants in soil, sediment, groundwater, and surface water. Mr. Mark P. Speranza, P.E. (Florida PE 50304) is the engineer of record for this Corrective Measures Study Report.

In my professional judgment, the engineering features described in the engineering document, Corrective Measures Study Report for Solid Waste Management Unit 1, provide reasonable assurance of reducing exposure to applicable pollutants below quantities which may be potentially harmful or injurious to human health or welfare and animal or plant life in accordance with state criteria and authorized by Chapter 376, F.S.

I have not evaluated and do not certify aspects of this plan that are outside the limits of my review responsibilities and outside my area of technical expertise (including but not limited to electrical, mechanical, and structural features). Mr. Jorge Caspary completed this review under my direct supervision.


Gregory M. Brown, P.E.
Professional Engineer No. 42194
Expires February 28, 1999

Apr 3, 1998
Date

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

April 3, 1998

CERTIFICATION OF APPROVAL

RE: Corrective Measures Study Report for Solid Waste Management Unit 2 (SWMU 2); Naval Air Station Key West, Boca Chica Key, Florida.

This site consists of a Solid Waste Management Unit undergoing investigation and corrective measures under a federal Resource Conservation and Recovery Act Hazardous and Solid Waste Amendments Permit. The proposed corrective measures are a response to reduce or isolate applicable pollutants in soil, sediment, groundwater, and surface water. Mr. Mark P. Speranza, P.E. (Florida PE 50304) is the engineer of record for this Corrective Measures Study Report.

In my professional judgment, the engineering features described in the engineering document, Corrective Measures Study Report for Solid Waste Management Unit 2, provide reasonable assurance of reducing exposure to applicable pollutants below quantities which may be potentially harmful or injurious to human health or welfare and animal or plant life in accordance with state criteria and authorized by Chapter 376, F.S.

I have not evaluated and do not certify aspects of this plan that are outside the limits of my review responsibilities and outside my area of technical expertise (including but not limited to electrical, mechanical, and structural features). Mr. Jorge Caspary completed this review under my direct supervision.


Gregory M. Brown, P.E.
Professional Engineer No. 42194
Expires February 28, 1999

APR 3 1998
Date

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.