

N42237.AR.000080
NSB KINGS BAY
5090.3a

LETTER REGARDING THE TRANSMITTAL OF ADDITIONAL COPIES OF INTERIM
CORRECTIVE MEASURE SCREENING INVESTIGATION WORK PLAN NSB KINGS BAY GA
11/16/1992
NSB KINGS BAY

COMPLETED

5090
Ser N56/3732

16 NOV 1992

Georgia Department of Natural Resources
Environmental Protection Division
Hazardous Waste Management
Attn: Mr Reginald Young
205 Butler Street, S.E.
Floyd Towers Court
Atlanta, Georgia 30334

31547.000
02.01.00.0005

Dear Mr. Young:

We are forwarding, for your records and review, an additional copy of the Final Draft Technical Work Plan Interim Corrective Measure Screening Investigation - Site 11 RCRA Facility Investigation, Naval Submarine Base, Kings Bay, Georgia. There are two errors concerning dates in Appendix A on page ES-2 in the last sentence of the third paragraph. The sentence should read "On August 31, 1992, the residents of Crooked River Plantation were informed of the groundwater contamination and invited to a public meeting held on September 3, 1992." A corrected copy of the final investigation is provided in the enclosure. Please ensure appropriate changes are made in the copy previously sent to you.

SUBASE point of contact concerning this matter Mr. John Garner,
P.E. (912) 673-4759.

Sincerely,

Director, Environmental Division
By direction of the
Commanding Officer

Enclosure:

(1) Final Draft Technical Work Plan Interim Corrective Measure
Screening Investigation - Site 11 RCRA Facility Investigation,
Naval Submarine Base, Kings Bay, Georgia, October 1992

Blind Copy:

SOUTHNAVFACENGCOM (Code 18128) (w/o enclosure)