

N42237.AR.000115  
NSB KINGS BAY  
5090.3a

LETTER REGARDING PUBLIC NOTIFICATION OF GROUNDWATER SAMPLING ON  
PRIVATE PROPERTY NSB KINGS BAY GA  
4/14/1993  
NSB KINGS BAY

31547-000  
13.01.00.0107



DEPARTMENT OF THE NAVY  
NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

Mr. [REDACTED]  
[REDACTED] Sunnyside Drive  
St. Mary's, GA 31558

Dear [REDACTED]:

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,





## DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

- the sample's concentration of each contaminant in terms of micrograms per liter (number of parts per billion),
- As a point of reference, Georgia's Maximum Concentration Limit (MCL) for each specific VOC in drinking water, and
- comments where further clarification is necessary.

The enclosed results represent only a "snapshot" of the contaminant concentrations as of the sampling date, since groundwater continues to travel and use of private irrigation wells may accelerate the plume and influence its course. Also, as these results have been forwarded to you as quickly as possible, a Preliminary Risk Assessment to assess the potential risk the plume may pose has not yet been completed. For these reasons, private irrigation well owners are asked, as a continued precaution, not to use their wells until further notice. Full interpretation of these results and a Preliminary Risk Assessment are currently being completed.

Though these results may not provide you with all the information you might like, they represent the first step in understanding the impact of the plume. Thank you for your cooperation in allowing the sampling on your property and for your continued patience with this process as we move toward a remedy.

If you have questions regarding these results or any aspect of the investigation, please contact Bob Steller, Public Affairs Office, NSB Kings Bay, telephone 673-4714.

Sincerely,

*L.P. Scullion*  
KAS

L.P. Scullion  
CAPT, CEC, USN  
Public Works Officer



PRIVATE WELL SAMPLE RESULTS FOR:

Cambray Circle  
St. Marys, GA 31558

C. Found	*Off-Site Lab	*Off-Site Duplicate	*MCL**	Comments
Chloromethane	ND		-	
Bromomethane	ND		-	
Vinyl chloride	ND		2	
Chloroethane	ND		-	
Methylene chloride	ND		-	
Acetone	4		-	Could be from sampling and laboratory procedures or landfill.
Carbon disulfide	ND		-	
1,1-Dichloroethene	ND		7	
1,1-Dichloroethane	ND		-	
cis-1,2-Dichloroethene	ND		70	
trans-1,2-Dichloroethene	ND		100	
Chloroform	ND		-	
1,2-Dichloroethane	ND		5	
2-Butanone	ND		-	
1,1,1-Trichloroethane	ND		200	
Carbon tetrachloride	ND		5	
Bromodichloromethane	ND		-	
Dichloropropane	ND		5	
1,3-Dichloropropene	ND		-	
Trichloroethene	ND		5	
Dibromochloromethane	ND		-	
1,1,2-Trichloroethane	ND		-	
Benzene	ND		-	
trans-1,3-Dichloropropene	ND		-	
Bromoform	ND		-	
2-Hexanone	ND		-	
4-Methyl-2-pentanone	ND		-	
Tetrachloroethene	ND		5	
1,1,2,2-Tetrachloroethane	ND		-	
Toluene	ND		1000	
Chlorobenzene	ND		100	
Ethylbenzene	ND		700	
Styrene	ND		100	
Xylenes (total of 2)	ND		10000	
1,3-Dichlorobenzene	ND		-	
1,4-Dichlorobenzene	ND		75	
1,2-Dichlorobenzene	ND		600	

ES:

- Expressed in micrograms per liter (parts per billion)
- \*\* Georgia Department of Natural Resources, 1992, Rules for Safe Drinking Water, Environmental Protection Division
- ND Not Detected
- No State regulatory standard developed
- Shaded areas - not applicable



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

[REDACTED]  
Cambray Circle  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

**CONFIDENTIAL**



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

Mr. [REDACTED]  
[REDACTED] Cottage Court  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO: /

April 14, 1993

Mr. [REDACTED]  
Cherry Point  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

Mr. [REDACTED]  
[REDACTED] Fairfield Drive  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

Mr. [REDACTED]

[REDACTED] Sunnyside Drive  
St. Mary's, GA 31558

Dear [REDACTED],

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO: /

April 14, 1993

Mr. [REDACTED]  
[REDACTED] Cherry Point Drive  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

Mr. [REDACTED]  
[REDACTED] Plantation Court  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO: /

April 14, 1993

Mr. [REDACTED]  
[REDACTED] Woodlawn Drive  
St. Mary's, GA 31558

Dear [REDACTED]:

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]



DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

[REDACTED]  
Fairfield Drive  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,





DEPARTMENT OF THE NAVY

NAVAL SUBMARINE BASE  
KINGS BAY, GEORGIA 31547-5000

IN REPLY REFER TO:

April 14, 1993

[REDACTED]  
Plantation Court  
St. Mary's, GA 31558

Dear [REDACTED]

The Navy contracted ABB Environmental Services, Inc. for groundwater sampling on your property to assess the impact of a groundwater "plume" near the Old County Landfill, containing vinyl chloride and other volatile organic compounds (VOCs), on private irrigation wells in Crooked River Plantation.

This sampling was conducted by ABB Environmental Services, Inc. with your consent and the results are enclosed.

Originally fifty-one private irrigation wells in Crooked River Plantation were sampled. An additional 21 groundwater samples were taken from five private properties using the hydrocone truck. All irrigation well and hydrocone samples were analyzed for vinyl chloride and nine other VOCs by ABB Environmental Services, Inc. in an on-site laboratory. Six of the hydrocone and 24 of the irrigation well samples were again analyzed for the same ten VOCs plus an additional 27 VOCs by CH2M Hill in their Redding, California laboratory. These 24 irrigation well samples included those suspected of being within the limits of the plume, based on the on-site analysis of the hydrocone samples.

In addition, twelve private irrigation wells were sampled to complete the sampling episode in the subdivision. This sampling, which you participated in, was conducted to retest private irrigation wells where the first results were unreliable, to reach those homeowners who did not participate in the first round, or to gather more information to enhance and complete the data gathered in the first sampling round. Samples from these twelve irrigation wells were analyzed for 37 VOCs in the CH2M Hill off site laboratory.

As you will see from the enclosed results, the samples were analyzed for vinyl chloride and other VOCs only, as they were the primary contaminants common to the plume. These results do not provide a complete analysis of groundwater quality and would not include measures of other potential contaminants, such as pesticides or fertilizers, from other sources. Your well testing results appear in a table. Each table includes:

- the name of each potential contaminant,

[REDACTED]