

N42237.AR.000141
NSB KINGS BAY
5090.3a

LETTER REGARDING HAZARD RANKING SYSTEM FOR NSB KINGS BAY GA
8/26/1993
U S EPA REGION IV



31547.000
19.01.00.0010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

4WD-FFB AUG 26 1993

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

M.J. Patterson
Lieutenant Commander, CEC USN
Public Works Officer
Naval Submarine Base
Kings Bay, Georgia 31547-5000

RE: Hazard Ranking System
Kings Bay Naval Submarine Base
Kings Bay, Georgia

Dear Lieutenant Commander Patterson:

The information submitted on the above referenced facility has been reviewed by the United States Environmental Protection Agency (EPA) and is assigned a "Site Evaluation Accomplished" (SEA) determination.

In accordance with the provisions of the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA), as amended by the Superfund Amendments Reauthorization Act of 1980 (SARA), and in conformance with the Hazard Ranking System (HRS), this site does not warrant further evaluation for inclusion on the National Priorities List (NPL). However, if additional information is received that supports listing, a reassessment of the site may occur. This determination does not affect work planned or ongoing under the Installation Restoration Program (IRP) and that work should continue.

If you have any questions regarding this determination, please contact Mr. Bart Reedy, Senior Remedial Project Manager, at (404) 347-3016.

Sincerely,

A handwritten signature in cursive script that reads "Jon D. Johnston".

Jon D. Johnston, Chief
Federal Facilities Branch
Waste Management Division

cc: D. Criswell, NFEC