

N42237.AR.000164  
NSB KINGS BAY  
5090.3a

APPLICATION AND PERMIT FOR SPECIAL ENCROACHMENT NSB KINGS BAY GA  
10/18/1993  
DEPARTMENT OF TRANSPORTATION GEORGIA

**DEPARTMENT OF TRANSPORTATION**  
**STATE OF GEORGIA**  
**ATLANTA, GEORGIA**  
**30334-1002**

Distribution  
(AFTER APPROVAL)  
White - Applicant  
Yellow - General Office  
Blue - District Engineer  
Green - Field Inspector



(FOR DOT USE ONLY)	
District No.	<u>5</u>
State Highway No.	<u>40 SPUR</u>
Milepost No.	<u>4.10 TO 4.20</u>
County	<u>CAMDEN</u>
Permit No.	<u>1093-1-039 S.E.</u>

**APPLICATION AND PERMIT FOR SPECIAL ENCROACHMENT**

**TO: GEORGIA DEPARTMENT OF TRANSPORTATION, ATLANTA, GEORGIA 30334-1002**

Application is hereby made by UNITED STATES NAVY (912) 673-8845  
COMMANDING OFFICER, NAVAL SUBMARINE BASE, KINGS BAY, GEORGIA 31547  
Name of Applicant Phone No.  
City and State Zip Code

Post Office Address for permission to accomplish work on the Right-of-Way of STATE HIGHWAY NO. 40 SPUR U.S. in CAMDEN  
County, in accordance with the ATTACHED PLANS and subject to the RULES AND REGULATIONS for Driveway and Encroachment Control on file in the General Office of the Georgia Department of Transportation, and made a part hereof by reference thereto, and any SPECIAL REQUIREMENTS set forth herein. The description of the proposed work is: TO

INSTALL THREE (3) RECOVERY WELLS & FOUR (4) PIEZO METERS, INCLUDING 430± FT. OF TRENCHING FOR 1½" DIAMETER INFLUENT & 3/4" DIAMETER ELECTRICAL CONDUIT (BOTH SCH. 40 PVC), PLUS TWO (2) ROAD BORES (10" STEEL 2± FT. C.C.).

The proposed work site is located at the property on the WEST side of the highway beginning 700± Feet, NORTH of the center line, of PLANTATION VILLAGE (Road) and Fronting 550± Feet further NORTH along said Highway; and at mile post 4.18.  
N.S.E.W. Nearest Street Total Frontage Used From Nearest Street N.S.E.W.

Permit requested this 18<sup>th</sup> day of OCTOBER, 19 93.

Michael Patten LCDR, CGC, USN  
Witness in Ink on All Copies

By: L. P. Scullion, CAPT, CGC, USN  
L. P. Scullion  
Sign in Ink on All Copies  
Title PUBLIC WORKS OFFICER  
If Agent or Official for Applicant

**FORM TO BE COMPLETED BELOW THIS LINE BY GEORGIA DEPARTMENT OF TRANSPORTATION**

SPECIAL REQUIREMENTS: (by DOT only)

SEE ATTACHED SHEET

PERMIT GRANTED to perform the above-described work in accordance with REQUIREMENTS of the Georgia Department of Transportation; this 20<sup>th</sup> day of OCTOBER, 19 93.

*This permit is to be strictly construed and no work other than that specifically described above is hereby authorized. The work authorized herein must begin within three months from the date of approval and must become completed on a schedule satisfactory to the department and not to exceed twelve months from the date the permit is approved.*

**DEPARTMENT OF TRANSPORTATION**  
**STATE OF GEORGIA**  
By: W. C. Smith, P.E.  
DISTRICT ENGINEER

SPECIAL REQUIREMENTS

Permit Number: 1093-1-039 S. E.

State Route: 40 SPUR County CAMDEN

General Requirements: All the following conditions apply to this permit unless crossed out.

1. This permit is approved subject to the revisions and additions shown in red on the attached plan copy and shall remain dependent upon compliance with these revisions and additions.
2. This permit is to be strictly construed and no work other than that specifically described above is authorized.
3. The work authorized herein must begin within three (3) months of the date of approval or the permit will be void.
4. The work authorized herein must be completed on a schedule satisfactory to the Department and not to exceed twelve (12) months from the date the permit is approved.
5. The work area shall be signed and protected in accordance with the Manual on Uniform Traffic Control Devices.
6. This approval does not allow any work on State right of way in connection with utility lines (sanitary sewer, water, power, telephone, gas, etc.).
7. All existing utilities which would be under new pavement or in acceleration/deceleration lanes shall be relocated before final grading and paving, and at no cost to DOT.
8. The drives approved under this permit shall be deemed adequate and sufficient access to this property and no other ingress and egress will be permitted from State owned right of way.
9. It is the responsibility of the applicant to maintain this ~~drive~~/encroachment.
10. Applicant is required to replace properly any roadway marking(s) and signing which are damaged or destroyed during construction. All pavement markings shall be installed per DOT pavement marking details as instructed by engineer.
11. Applicant shall regrass to DOT specifications all State right of way area which is damaged or disturbed during work authorized herein.
12. Minimum cover over pipe is to be 1.5 ft from the top of the pipe to the top of the finished grade.
13. All curbs and curbed islands shall be filled to top of the curb with top soil and grassed.
14. Curb and gutter shall be constructed per GA DOT Standard 9032 B, Type 1, 2, or 7, as shown on plans.