

N42237.AR.000358
NSB KINGS BAY
5090.3a

LETTER REGARDING GEORGIA DEPARTMENT OF NATURAL RESOURCES ACCEPTANCE
OF GROUNDWATER MONITORING PLAN FOR WASTEWATER DISCHARGE INTO
SANITARY SEWER SYSTEM NSB KINGS BAY GA
3/6/1995
GEORGIA DEPARTMENT OF NATURAL RESOURCES

Georgia Department of N

205 Butler Street, S.E., East Floyd

31547.000
09.01.00.0097

Reply To:
Industrial Wastewater Program
Suite 1070
404/656-4887

Harold F. Reheis, Director
David Word, Assistant Director
Environmental Protection Division
404/656-4713

March 6, 1995

J. R. Allen, Captain, CEC, USN
Department of the Navy
Naval Submarine Base
1063 USS Tennessee Avenue
Kings Bay, GA 31547-2606

Re: Land Application System
Permit No. GA 03-751

Dear Captain Allen:

This is a follow-up to our December 5, 1994 letter relating to the assimilation and treatment of groundwater remediation wastewater into the sanitary sewer system regulated by the referenced permit.

The Georgia Environmental Protection Division did not intend to preclude the proposed amended monitoring plan, as proposed in Table 2 of your October 6, 1994 letter requesting a 5 year extension. Provided that the proposed amended monitoring plan is acceptable to the Hazardous Waste Management Program, it is acceptable to us.

Sincerely,



Michael S. Creason, P.E.
South Unit Coordinator
Industrial Wastewater Program

MSC:ikk