

N42237.AR.000365  
NSB KINGS BAY  
5090.3a

LETTER REQUESTING ISSUANCE OF A CLASS 2 MODIFICATION TO THE CURRENT  
HAZARDOUS WASTE PERMIT NSB KINGS BAY GA

5/9/1995  
NSB KINGS BAY

0130  
31547.000  
09.01.00.0099

5090  
Ser FE4/1786  
MAY 9 1995

CERTIFIED MAIL  
RETURN RECEIPT REQUESTED

Georgia Department of Natural Resources  
Environmental Protection Division  
Attn: Mr. Harold F. Reheis, Director  
205 Butler Street, S.E.  
Floyd Towers East  
Atlanta, Georgia 30334

REQUEST FOR MODIFICATION OF PERMIT NUMBER HW-014(S) (2)  
NAVAL SUBMARINE BASE, KING BAY, GEORGIA  
FACILITY IDENTIFICATION NUMBER GA4170090001

Per Title 40, Code of Federal Regulations, part 270, section 42 (40 CFR 270.42), as incorporated into Chapter 391-3-11.11 of the Georgia Hazardous Waste Management Rules, Naval Submarine Base (SUBASE), Kings Bay, Georgia requests a Class 2 modification of our hazardous waste permit number HW-014(S) (2), which was issued on September 29, 1989 by the Georgia Department of Natural Resources, Environmental Protection Division (GEPD).

Specifically, SUBASE Kings Bay requests revision of Section III, Corrective Action for Solid Waste Management Units (SWMUs) and Other Releases, to reflect No Further Action at Site 12, Army Reserve Disposal Area, Future Dry Dock (now the Current Dry Dock), and addition of Site 2, Former Fire-Fighting Training Pit, as a SWMU under Section III of the permit. These requested actions are based on our RFI Report for Sites 5 and 16, and Site History and File Information for Site 12 which recommend "No Further Action" for Site 12 and your January 13, 1994 letter which addresses Sites 2 and 12. Additionally, SUBASE Kings Bay requests modification of the permit limit for storage containers at the location of our Hazardous Waste Storage and Transfer Facility (Building 6020) from 68,200 gallons to 59,840 gallons of hazardous waste to reflect actual storage capacity.

Enclosure (1), the Class 2 Modification of the Part B Permit Application, SUBASE, Kings Bay, Georgia, April 1995, contains supporting information for this request. Enclosure (2) is a copy of the Public Notice for this application.

Our point of contact for this issue is Mr. Michael Anderson at (912) 673-4620. Please address all correspondence to "Commanding

5-11-95/MA

5090  
Ser FE4/

Officer, Naval Submarine Base, 1063 USS Tennessee Avenue, Kings  
Bay, GA 31547-2606."

Sincerely,

**J.R. ALLEN, P.E.**  
Captain, CEC, USN  
Facilities & Environmental Directorate  
By: [Signature] of the  
Commanding Officer

Encl:

- (1) Class 2 Modification, Part B Permit Application (2 Copies)
- (2) Public Notice of Application for Class 2 Permit Modification