

N42237.AR.000375
NSB KINGS BAY
5090.3a

LETTER REGARDING NOTICE OF DEFICIENCY HAZARDOUS WASTE FACILITY PERMIT
CLASS 2 MODIFICATION NSB KINGS BAY GA
7/17/1995
GEORGIA DEPARTMENT OF NATURAL RESOURCES

Georgia Department of

205 Butler Street, S. E.,

31547.000

19.02.00.0012

MARION F. HENDRICKS, Director
404-656-2833

July 17, 1995

Commanding Officer
Naval Submarine Base
1063 USS Tennessee Avenue
Kings Bay, Georgia 31547

Re: Notice of Deficiency
Hazardous Waste Facility Permit
Class 2 Permit Modification

Dear Sir:

The Environmental Protection Division has completed its review of your application for a Class 2 modification to your Hazardous Waste Facility Permit, number HW-014(S)(2). The required public comment period has elapsed without input from any source. However, the document as submitted exhibits a deficiency which must be corrected before the application can be deemed technically adequate.

The Part A application was not submitted on the proper forms. Use of the Georgia form is required by the Georgia Rules for Hazardous Waste Management, Chapter 391-3-11-.11(3). A copy of the Part A application is enclosed. A corollary to this deficiency is that there is information omitted from the application as submitted. These omissions are not being cited as deficiencies; we reserve the right to cite these omissions if the corrections submitted by Subase fail to adequately address all issues requested.

Please provide, within thirty (30) days of receipt of this Notice of Deficiency, a complete, signed Part A application on the proper form. If you have questions or need further information, please contact Billy Hendricks at (404)656-2833.

Sincerely,



Bruce Khaleghi, Unit Coordinator
Hazardous Waste Management Branch