

N42237.AR.000455  
NSB KINGS BAY  
5090.3a

LETTER REGARDING GEORGIA DEPARTMENT OF NATURAL RESOURCES CONDITIONAL  
APPROVAL OF HAZARDOUS WASTE PERMIT WITH ATTACHED MODIFICATIONS NSB  
KINGS BAY GA  
2/8/1999  
GEORGIA DEPARTMENT OF NATURAL RESOURCES

C171

Georgia Department of Natural Resources

205 Butler Street, S.E., Suite 1154 Atlanta, Georgia 30334

NSB Kings Bay Administrative Record  
Document Index Number

Lonice C. Barrett, Commissioner  
Environmental Protection Division  
Harold F. Reheis, Director  
404/656-2833

**31547-000**  
**09.01.00.0140**

February 8, 1999

**CERTIFIED MAIL - RETURN RECEIPT REQUESTED**

Commanding Officer  
Naval Submarine Base  
1063 USS Tennessee Avenue  
Kings Bay, GA 31547-2606

RE: Permit Modification - 5090 Ser FE4/0090

Dear Sir:


The Hazardous Waste Management Branch of the Georgia Environmental Protection Division (EPD) has reviewed your request to modify the compliance schedule of your Hazardous Waste Facility Permit #HW-014(S&T)(2). In light of the progress Subase has made in its current Interim Measure, in accordance with the provisions of the Rules for Hazardous Waste Management, Section 391-3-11-.11(7)(d) [40 CFR 271.42, Appendix I], this request is approved subject to the condition below.

On August 12, 1998, EPD approved the current Interim Measure of in-situ chemical oxidation. Interim Measures which exceed one year's duration must include provisions for periodic reporting of progress. In order to be granted the requested relief, Subase must report, no later than March 1, 1999, a summary of progress made to date on the Interim Measure. The format of this report is negotiable.

Subase must, no later than September 1, 1999, begin installation of the final Corrective Action System as described in the Permit and the associated Corrective Action Plan. Further, no later than September 1, 1999, Subase must submit to the Director the final Report for the Interim Measure currently being undertaken.

The Rules require further that Subase provide notification of this modification by mail to all parties on the Permit mailing list. Please provide, before March 2, 1999, documentation of this mailing. Should you have any questions concerning this modification, please contact Billy Hendricks at 404-656-2833.

Sincerely,



Harold F. Reheis, Director

c: CAPT Stephen C. Duba, P.E., Facilities and Environmental, Subase

File: Naval Submarine Base Kings Bay (1999)(Y)  
R:\BILLY\FACILITY\SUBBASE\NSBCAP.MOD