

N42237.AR.001247
NSB KINGS BAY
5090.3a

LETTER REGARDING GEORGIA DEPARTMENT OF NATURAL RESOURCES REVIEW AND
APPROVAL OF DRAFT UNIFORM FEDERAL FACILITY SAMPLING AND ANALYSIS PLAN
ADDENDUM FOR BUILDING 1039/SMWU 9, NSB KINGS BAY GA
3/30/2015
GEORGIA DEPARTMENT OF NATURAL RESOURCES

Georgia Department of Natural Resources

Environmental Protection Division-Land Protection Branch

2 Martin Luther King Jr., Dr., Suite 1054, Atlanta, Georgia 30334

(404) 656-7802; Fax (404) 651-9425

Judson H. Turner, Director

March 30, 2015

Commanding Officer
Attn: PRKB4
Naval Submarine Base
1063 USS Tennessee Avenue
Kings Bay, Georgia 31547-2606

RE: *Draft Uniform Federal Facility Sampling and Analysis Plan Addendum; RCRA Facility Investigation Building 1039/Solid Waste Management Unit 9; Naval Submarine Base (SUBASE), Kings Bay, Georgia; dated February 03, 2015 and received February 9, 2015.*

Dear Sir:

The Land Protection Branch of the Georgia Environmental Protection Division (EPD) has reviewed Subase's *Draft Uniform Federal Facility Sampling and Analysis Plan Addendum; RCRA Facility Investigation Building 1039/Solid Waste Management Unit 9; Naval Submarine Base (SUBASE), Kings Bay, Georgia; dated February 03, 2015 and received February 9, 2015.* The subject document is hereby approved. Please implement this Sampling Plan in accordance with the schedule in the approved plan.

However, please note that Tables 10-2 and 10-3 reference the May 2014 version of the EPA Regional Screening Levels (RSLs) for soil and groundwater for comparison of the analytical data. The RSL values are subject to change. Therefore, at the time of final report preparation, the most updated version of the RSL values should be used.

If you have any questions, please contact Mr. Mo Ghazi at (404) 656-2833.

Sincerely,



Amy Potter
Unit Coordinator
Hazardous Waste Management Program

cc: Jim Colter, PW4/SUBASE/Kings Bay
Dana Hayworth, NAVFAC SE Remedial Project Manager

File: Naval Subase (G)

S:\RDRIVE\GHAZI\All Sites\NAVAL SUBASE\SWMU Reviews\Building 1039\B1039 SAP addendum February 2015 Review.doc