

N60201.AR.000213
NS MAYPORT
5090.3a

LETTER REGARDING APPLICATION FOR CONSUMPTIVE USE INDIVIDUAL PERMIT FOR
REMEDATION SYSTEM NS MAYPORT FL
4/21/1995
NAVAL STATION MAYPORT



DEPARTMENT OF THE NAVY

NAVAL STATION
MAYPORT, FLORIDA 32228-0112

IN REPLY REFER TO:

5090.8
5090.15
Ser N4E4/ 00115.
21 APR 1995

Ms. Caroline Silvers
Department of Resource Management
Jacksonville Field Office
St. Johns River Water Management District
7775 Baymeadows Way, Suite 102
Jacksonville, FL 32256

Subj: APPLICATION FOR CONSUMPTIVE
USE INDIVIDUAL PERMIT FOR
REMEDIATION SYSTEM, NAVAL
STATION MAYPORT

Dear Mrs. Silvers:

Naval Station Mayport (NAVSTA) is submitting the original application, supporting documentation, and \$200.00 for subject consumptive use permit directly to your St. Johns River Water Management District (SJRWMD) Field Office in order to expedite review and issuance of the permit.

Construction on the Remediation System, for which this application is submitted, begins April 24, 1995, with a tentative start-up date of June 5, 1995. If issuance of the permit cannot be achieved by the tentative start-up date, NAVSTA requests that a temporary permit be issued.

If you have any further questions regarding this subject, NAVSTA's point of contact is Cheryl Mitchell, N4E4, at 904-270-6730.

Sincerely,

MICHAEL DAVENPORT
Director, Environmental Division
By direction of
the Commanding Officer

Encl:

- (1) Application (3 cys)
- (2) Check 5146-18192168

Copy to: (w/o encl)

FDEP Tallahassee (160-116 J Cason)
ABB-ES (P. Layne)
USEPA Region IV (J. Bassett)

SJRWMD Palatka
Bechtel (S. Santamaria)
SOUTHNAVFACENGCOM (Code 1852)

