

N60201.AR.000423  
NS MAYPORT  
5090.3a

LETTER GRANTING APPROVAL TO DISCONTINUE GRANULAR ACTIVATED CARBON OFF  
GAS TREATMENT ON BIOSLURPER SYSTEM AT SOLID WASTE MANAGEMENT UNIT 7 NS  
MAYPORT FL  
5/28/1998  
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

32228-000  
09.01.00.0072



# Department of Environmental Protection

Lawton Chiles  
Governor

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Virginia B. Wetherell  
Secretary

May 28, 1998

Ms. Adrienne Wilson  
Department of the Navy, Southern Division  
Naval Facilities Engineering Command  
2155 Eagle Drive, PO Box 190010  
North Charleston, SC 29419-9010

file: 7bye\_gac.doc

RE: Request to Discontinue Granular Activated Carbon Off-Gas Treatment on Bioslurper System at SWMU 7, NAVSTA Mayport, FL

Dear Ms. Wilson:

Greg Brown, P.E., has reviewed the request from Battelle in their letter of May 27, 1998 (received May 28, 1998) to discontinue the off gas treatment by GAC at the operating bioslurper system at SWMU 7. Based on the information furnished in the letter, the request is approved.

Sincerely,

James H. Cason, P.G.  
Remedial Project Manager

cc: Randy Bishop, NAVSTA Mayport  
Brian Cheary, FDEP Northeast District  
Greg Brown, P.E.

TJB 3 JJC JR ESN ESN